


# IceniCAM Information Service




[www.icenicam.org.uk](http://www.icenicam.org.uk)

---

# THE DAYTON 'CLASSIQUE' FRAME

---



## SPECIFICATION

73°/71° angles.	Double butted 531 tubing throughout.
2 3/4" rake on fork.	531 chain stay, seat stay and forkblades.
42" wheelbase.	Durax chain wheel with hollow axle.



*Supreme on Road and Track*

**DAYTON**  
ALL-BRITISH *Cycles*

DAYTON CYCLE CO. LTD., PARK ROYAL ROAD, LONDON, N.W.10

---

# Champion Heavyweight

approves Champion Lightweight



Supreme on Road and Track

**DAYTON**  
ALL-BRITISH  
*Cycles*

With a couple of Dayton 'lovelies' to hold him up, Joe Louis is quite at home on his Dayton "Classique." And no wonder, for Dayton Lightweight Racers are no strangers to Champion riders. They are *always* in the Champion class.

DAYTON CYCLE CO. LTD., PARK ROYAL RD., LONDON, N.W.10



# DAYTON


## THE LIGHTER BIKE

The less a rider has to push around the faster he goes—or the less effort he uses.

That is why we go all out for lightness and easy running in designing and building Dayton Cycles.

Champion riders race on Daytons because they know that lightness, rigidity and easy running make all the difference to their chances.

Dayton Cycles are as smart and well finished as they are light and speedy.



FOR ROAD AND TRACK

**DAYTON**  
ALL-BRITISH *Cycles*

DAYTON CYCLE CO. LTD., PARK ROYAL ROAD, LONDON, N.W.10

# The DAYTON *Amalgam* ELITE

## SPECIFICATION

Weight with 3-speed gear, 25 lbs.

**FRAME**: Amalgam 29" in lustre, violet, maroon or silver beige. **ANGLES** 72/71. **FORKS**: C.P. ends with brazed-on detachable lamp bracket.

**SADDLE**: Brooks B.17.

**TYRES**: Dunlop road racing 27" x 1 1/2". **VALVES**: Presta high x pressure 27" x 1 1/2".

**SPOKES**: Double butted.

**HUBS**: Duralumin.

**GEAR**: 3-speed Derailleur 16, 18, 20T.

(Huret or Simplex or 4-speed F.M).

**CHAINWHEEL**: Durax or Continental 48" x 61".


**FEDALS**: Lydard Duralumin Quill.

**BRAKES**: G.B. Huret or Brooks.

Duralumin taped and stopped.

**EXTENSION**: 3" Duralumin.


Continental type. **MUD-GUARDS**: Bright alloy.







**THE TRANSFER THAT  
CREATES DEMAND...**



**For a quick-selling line  
stock DAYTON AMALGAM**

**DAYTON CYCLE CO., LTD., PARK ROYAL RD. LONDON. N.W.10**