



# IceniCAM Information Service



[www.icenicam.org.uk](http://www.icenicam.org.uk)

*The*  
**DAYTON**  
*Almagam*  
**ELITE**



**SPECIFICATION**

Weight with 3-speed gear, 25½ lbs.

**FRAME:** Almagam 22" in lustre, violet, maroon or silver beige. Angles 72/71. **FOKES:** C.P. ends with brazed-on clamp and pocket.

**SADDLE:** Brooks B.17.

**TYRES:** Dunlop Road racing type.

**RIMS:** 27" x 11" high x pressure 27" x 11".

**SPOKES:** Double bottled.

**HUBS:** Duralumin. **GEAR:** 3-speed Derallieur 15, 18, 20T. (Huret or Simplex or 4-speed FM). **CHAINWHEEL:** Durax or Continental 48" x 61".

**PEDALS:** Lyotard Duralumin Quill. **BEARS:** M.B. **REAR:** M.B. Duralumin tapped and stopped.

**EXTENSION:** 3" Duralumin. Continental type. **MUD-GUARDS:** Bright alloy.

DAYTON CYCLE CO. LTD. PARK ROYAL ROAD, LONDON, N.W.10

*The*  
**DAYTON**  
*Amalgam*  
**ELITE**

**SPECIFICATION**

Weight with 3-speed gear, 25 lbs.

**FRAME**: Amalgam 29" in length, 26" in height, black or beige. Angles 72/71. **FORES**: C.P. ends with brazed-on detachable lamp bracket.

**SADDLE**: Brooks B.17.

**TYRES**: Dunlop road racing 27" x 14". **RIMS**: Dunlop high pressure 27" x 14".

**SPOKES**: Double butted.

**HUBS**: Duralumin. **GEAR**: 3-speed Demuleur 16, 18, 20T.

**CRANKS**: 170mm. **CHAINWHEEL**: Duracon or Continental 48" x 63".

**PEDALS**: Lyotard Duralumin Quill. **BRAKES**: G.B.

**Hiduminium. BEND**: Maces Duralumin tapered and stopped.


**EXTENSION**: 3" Duralumin, continental type.

**MUD GUARDS**: Bright alloy.



DAYTON CYCLE CO. LTD., PARK ROYAL ROAD, LONDON, N. W.10

# DAYTON SUPREME ROADSTER



A beautiful looking cycle built for strength and comfort. First-class components throughout, incorporating yoke and hinge brakes. Good leather saddle. The frame is rust-proofed before being enamelled with a glossy black surface.



# DAYTON

ALL BRITISH

*Cycles*

DAYTON CYCLE CO., LTD., PARK ROYAL ROAD, LONDON, N.W.10