



Dove

TRAVELS FREE AS A BIRD

REAR SUSPENSION

DOVE travels free as a bird, with swinging arm rear suspension and hydraulic shock absorbers to smooth out the bumpy roads and make you feel you are flying rather than driving.



POWER UNIT

DOVE - You'll feel free as a bird as it wings away smoothly and quietly with its automatic take-off gear.

The engine develops 2 h.p. at 5,600 r.p.m. It will cruise comfortably and willingly soaring above hills and dales in effortless wonder.



FRONT SUSPENSION

Front Suspension with robust telescopic type front forks gives you smooth steering and positive cornering. For added safety and smooth travel soar away on a DOVE. Note the powerful full width hub brakes.





TRAVEL FREE AS A BIRD

Dove

Full width hub-type brakes makes stopping as easy as starting and you will find your way easily in the dark with the 18 watt headlamp unit.

You'll certainly feel free when you drive away. The walk-through frame makes it easy to ride — there is absolutely nothing to learn — it's all automatic when you ride a DOVE.

The fuel consumption will surprise you for it goes on and on and will travel over 180 m.p.h. to one gallon of petrol/oil.

Go into your nearest Dealer Showroom now and join the DOVE travellers - feel free as a bird.



D0407-C

SPECIFICATION AND MAIN FEATURES OF THE DEMM « DOVE »

MAIN FEATURES

Overall length: 64"
width: 28"
height: 38"
Saddle height: 31"
Wheel Base: 42"
Main Frame (pressed steel construction)
Front suspension: Telescopic type forks
Rear suspension: Swinging arm with spring/hydraulic shock absorbers
Centre stand
Fuel Tank Capacity: $\frac{3}{4}$ Gallon (5 pints Main - 1 pint Reserve)
Fuel Consumption: 180 miles per gallon (approximately)

CARBURETTOR

Dell'Orto: SHA 14/12

TRANSMISSION

Chain from engine sprocket to rear wheel
Rear Sprocket: 34 teeth
Engine Sprocket: 11 teeth

ENGINE

Single cylinder two-stroke air cooled
Bore: 38.80 mm
Stroke: 42 mm
Capacity: 49.65 cc
Compression Ratio: 8.5 : 1
Maximum Output: @ 5600 RPM - 2 HP
6 volt AC lighting system
Ignition by 18 watt alternator flywheel magneto
Spark Plug Type: CHAMPION L7
Lubrication: Petrol/oil mixture
Oil bath gear case lubrication
Automatic centrifugal clutch in oil bath

WHEELS AND BRAKES


Wheel size: 16"
Tyre size - front: $2\frac{1}{4}$ x 16
 rear: $2\frac{1}{4}$ x 16
Full width hub brakes.

MOTORISED CYCLES LTD

87 Beddington Lane Croydon CR04TD Surrey England Tel. 01 - 684 9456 Telex 21138 Cables: Suzuki Croydon



F.LLI DALDI & MATTEUCCI S.p.A. - MILANO (ITALY)



IceniCAM Information Service

