



FANTIC MOTOR

Sede v. Parini 3
22061 Barzago (Co) Italy
Tel. (031) 860.281 - 282 - 283
Telex 380448 Fantic I

OSIMO
SPORT

TECHNICAL SPECIFICATIONS

(FANTIC 310.00.1870 - ISSIMO SPORT)

Engine: 2 stroke, single cylinder, forced air-cooling.

Bore and stroke: 38,8 x 42 mm.

Displacement: 49,6 cc.

Compression ratio: 8.6 to 1.

Carburettor: DELL'ORTO SHA 14/12 with semiautomatic choke.

Lubrication system: gasoline with 2% oil (ratio 50 : 1) FIAT 2T.

Ignition and lighting: by flywheel magneto 6V 18W with internal coil.

Starting: kickstarter or pedals.

Transmission: centrifugal automatic clutch and primary transmission by helicoidal gears running- in oil. Secondary transmission by roller chain 1/2 x 3/16".

Frame: super strong tubular steel.

Mudguards: unbreakable plastic.

Seat: superconfort.

Suspensions: front telescopic fork, rear swing arm with telescopic shocks.

Wheels: aluminium alloy front and rear 1.5 x 16" with front and rear brake drum \varnothing 90 mm.

Tires: front and rear 2.1/2 x 16" PIRELLI.

Accessoires: rear view mirror, illuminated speedometer, rear bakest, weathershield, double seat over-head pair cloth bags, pair ABS bags.

Fuel tank: steel plate, capacity approx. lt. 3,2 including reserve, 3 positions gas tap.

Dry weight: Kg. 47.

Max speed: conform the moped legislation.

IceniCAM Information Service

