



G.B. ALLOY HANDLEBARS are made from high G.B. STEEL HANDLEBARS are made from mild tensile aluminium alloy tube, in a special condition, which ensures great strength whilst giving freedom from all possibility of breakage. Supplied in 15/16"

MAES and OLYMPIC patterns only. The diameter is 15/16" with centre bulged to 1". "Tops" have special diameter with I" centre.

Dropped bends, with engraved reinforcing ferrule 17/-Dropped bends, with bulged centre Flat bends with bulged centres only

steel, heavily chrome plated and polished, in the MAES and OLYMPIC patterns only. The diameter is decorative engraving.

* ALSO MADE IN STEEL

TYPE	DROP	WIDTH	REACH	
Capoberta	4 %"	16."	134"	
* Maes	5 ½*	15."	3 12	
* Olympic	5 %	14 12"	4 34	
Ventoux	618	15 .*	4."	1
Road Champion	6 4	15 ½	2 58	1
Touring	4."	15 2 & 17 2	4."	
F	LAT B	ENDS		
All Rounder	14	23."	1 34"	
Comfort	11/2"	193	3."	

G.B. Alloy Stems are made from solid one piece alloy forgings and machined to fine tolerances. (See illustration of section). Highly polished and fitted with expander and clamp bolt. Proved in Tour de France and Tour of Britain, these stems are the finest in the world for strength and reliability. They are light but perfectly suited for their purpose of fitment to all types of machines. Total sales have exceeded three quarters of a million. The range comprises five

SOLID FORGED

popular lengths. STEM SIZES ALLOY

Column (B)	Price
5十//	16/-
5 1 "	17/6
5½"	18/-
5½"	19/9
5½"	21/-
	Column (B) 5½" 5½" 5½" 5½" 5½" 5½"

SPARES for STEMS

10	Expander bolt medium (Alloy Stems)	
02	Expander bolt long (Steel stems)	
03	Washer for all expander bolts	
04	Cone for Alloy Stems	

706 Handlebar Clamp Bolt 7d. 707 Handle Clamp Bolt (Monogram hd.) 10d.

(Alloy Stem) 711 Ferrule to adapt 5 bar centre to I"

1/3 708 Handlebar Clamp Bolt Nut 709 Ferrule to adapt 7" bar centre to 1" (Alloy Stem) 710 Ferrule to adapt 5 " bar centre to I"

Sectional drawing of Alloy Stem

showing the

method of machin-

ing which provides

additional strength

exactly where it

is needed.

G.B. racing hubs are precision machined from a solid one piece alloy forging. The precision ground ball-cups are packed with "Molykote" grease and sealed with a nylon dust cap to make them virtually impervious

to all weather conditions.

SPARES FOR HUBS

722 Q. R. Skewer rear 723 Q. R. Skewer front 724 Q. R. lever with nut and

Q. R. lever cam holder 726 Conical lugged adjusting nut 3/6

744 Rear Cone

746 Lipped washer 3d 747 Rear locknut.

STEM SIZES

Column (B)

oring washer

Taper springs

740 Steel hub cup

742 Nylon dust cap

5. R. Hollow Spindle rear 6/-

The hubs are available in large

flange only with Quick Release

The finest steel handlebar stems available. Handmade from lapped solid drawn KROMO

tubes. Attractively finished, polished and

heavily chrome plated. In six popular lengths

complete with expander and clamp bolt. The

stem for the specialist rider.

LIGHT ALLOY



RUBBER **ACCESSORIES**

The G.B. range includes an attractive variety of white rubber brake accessories designed to fit perfectly. There are three types of lever hoods, a lever sleeve and a cable clamp

suitable for Superhood Plus and adaptable to Rapide levers 506 Stirrup cable clamp buffers 1/6 per pair 507 Arret rubbers (with built in adjusters). Suitable for

503 Superhood full rubbers-


"Mk. 3" and "Sprite"

508 Superhood half rubberssuitable for Superhood Rapide and Superhood Plus levers 4/6 per pair

509 Lever sleeves-for all G.B.

WINGNUTS

made to the exclusive thumb and lever design, from solid 'Hiduminium' forgings. Suitable for English threads, front (\(\frac{1}{2} \tilde{7} \)), rear (\(\frac{2}{3} \tilde{7} \)) and special rear wingnuts are made, with toggle bush, for Sturmey Archer hubs (13/32"). Front or rear,



TOE CLIPS

G.B. Toeclips are made from the finest quality stainless steel. They cannot rust, and it is virtually impossible to break them. The clip is well designed to fit the shape of the shoe, and there are no rivets to work loose. The securing screws are fitted with shake proof nuts.

Strong, reliable and well finished the "type Professionnel" toeclip is available in LONG and MEDIUM lengths. Price 7/6 per pair.



CARDED







CABLE CLAMP BUFFERS



561 BLOCKS



A large variety of G.B. components and replacement spares are produced and packed for the retailer as "carded display

G.B. products carded but not all illustrated include :-

Wingnuts Cable Clips Hoods Brake Blocks



RUBBERS FOR SUPERHOOD

Warranty

We stand by all goods of our manufacture. All usual and reasonable precautions have been taken by us to ensure excellence of materials and workmanship, and in the event of any defect in any "G.B." product which is not caused by wear and tear, misuse, accident, or negligence, being disclosed within six months of its being put into use, we will either supply new parts or components in exchange for those defective, or repair such defective parts or components, free of charge. This undertaking shall be deemed to exclude any and every other obligation whatsoever, and all liability for any loss or damage, howsoever or whensoever caused or arising, except the cost of replacement or repair in accordance with

G.B. CYCLE COMPONENTS LTD · HANWORTH TRADING ESTATE · FELTHAM · MIDDX.

GREENAWAY ' LONDON

RUBBERS FOR 'PLUS' and RAPIDE LEVERS





BRAKE LEVER SLEEVES



Telephone Feltham 4871


MADE BY LATEST PRODUCTION TECHNIQUES IN A MODERN FACTORY AT FELTHAM FOR ENTHUSIASTS BY ENTHUSIASTS WHO KEEP AHEAD IN DESIGN THROUGH CONTINUED INTEREST AND PARTICIPATION IN ALL CYCLE SPORT

with nuts and 537 Pivot bolt, res 538 Pivot bolt res

556 Cam pin and nut 557 Cable socket 58 Cable socket nut 59 Ferrule for outer cable

560 Cable adjusting screw 561 Brake blocks ("Wetgrip"

pattern) pair : 562 Brake blocks & shoes ("Wet-



			Cou	reur '66' Spa	res			
6601	Back plate, deep	7/-	6617	Front cable hanger	3/6	545	Washer for clamp	
6603	Coureur 66 left		6618	Front seating pad	6d.		bolt and brake shoe	Id.
	stirrup	5/-	6619	Rear seating pad	6d.	546	Brake shoe	4d.
6604	Coureur 66 right	1000	6620	Rapide Nylon quick-		547	Brake shoe screw	3d.
	stirrup	5/-		release unit, compl.	2/6	642	Stepped ferrule for	
5605	Stirrup cable bridge	5/-	6621	66 Brake blocks Pr:	10d.		front cable hanger	3d.
606	Front brake fixing	10	6622	66 Brake blocks &		563	Translucent outer-	
	bolt	10d.		shoes, complete Pr:	2/2		cable, front	1/3
5607	Rear Brake fixing	21.0.00	6303	Superhood Rapide		564	Translucent outer-	1.00
	bolt	8d.		lever only	4/3		cable, rear	1/3
8008	Nylon bush for	18.00	6302	Superhood Rapide		566	Translucent outer-	37.0
	stirrup pivot	6d.		lever block	4/3		cable, Tandem	3/-
5609	Stirrup cable	1/6	560	Cable adjuster screw	7d.	567	Inner wire, front	1/-
	Stirrup pivot screw	7d.	601	Cable adjuster wheel	ld.	568	Inner wire, rear	1/2
5611	Cable clamp compl.	1/-	600	Lever fixing screw		570	Inner wire, Tandem	3/- 5/2
5612	Ball-ended ferrule	6d.		and nut	8d.	571	Cables complete Pr:	5/2
5613	Back plate, shallow	7/-	531	Handlebar clip 7"	8d.	6300	Superhood Rapide	2000
	Stirrup spring,	15.5.5	532	Handlebar clip 15/16"	8d.		lever complete	12/6
(0.000)	shallow	10d.	598	Lever pivot, red	10d.	6650	66 Front Stirrup	1000
5615	Stirrup spring, deep	10d.	599	Lever pivot Nylon			only A (short) & B	
	Rear cable hanger,			bush	4d.		(medium) depth	18/-
	shallow I+"	2/6	542	Brake fixing nut	5d.	6655	66 Rear Stirrup only	37001803
616b	Rear cable hanger,		544	Domed nut	4d.		A (short) & B	
	standard 12"	2/6	5.7.7				(medium) depth	17/-

Coureur 66 Brake
The first SYMMETRIC ACTION cycle brake with all bearings enclosed and nylon bushed.
Introduced in time to be put to the most exacting test of the Tour de France and Tour

of Britain, now universally available—the proved most efficient cycle brake ever. Special features are :

. The '66' Symmetric stirrup action—light but rigid—through totally enclosed nylon bushed bearings. The superior styled 'Superhood Rapide' lever embodying the unique 'Rapide' cable

quick-release. (See illustration). 3. The light but sturdy cable hangers which eliminate loss of braking power.

4. Entirely new design brake block for best stopping under all weather conditions, and many other refinements to make this the finest brake available. Made from finest materials only. High strength aluminium alloy forgings and pressings. High tensile

This shows the details of the ny-lon mechanism of the Rapide Cable Release.

SYMMETRIC ACTION BRAKE

steel fixing bolts etc.

steel fixing bolts etc.

Boxed in pairs—shallow front stirrup. Medium rear stirrup.

Supplied as Standard with Superhood Rapide lever ...

Also available with Superhood Plus lever ... ide lever ... Price 60/- per pair.
... Price 57/- per pair.
... Price 54/- per pair. Also available with Sport Mk. 3 levers




'66' Cable Clip

tube fitting cable clip. High quality chromium plated

In sets of three 2/6

Coureur "Plus" Brake The most popular and up to date of all side-pull brakes. Used with success in countless races, it has always emerged with flying colours. The brake design incorporates many refinements—nylon bushed action throughout extra strength cables: Wetgrip brake blocks: efficient cable quick release: GB, monogrammed dome nuts, and both stirrup and the super styled Superhood Plus lever have an attractive highly polished finish. Price: 42/- per pair. Natural polished finish: Colour anodised red or blue The 575 Touring lever combines well with the Coureur Plus stirrup to effect a perfect brake on touring or sports machines.



			Coureur Plus & Mk. 3 Spare
531	Handlebar clip 3"	8d.	563 Outer cable, front
	Handlebar clip 13"	8d.	564 Outer cable, rear
	Handlebar clip 23.5 mm.	8d.	565 Outer cable, Lady's, rear
535	Pivot bolt, front	1/6	566 Outer cable, Tandem, rear 3
	Pivot bolt, front (compl.	-,-	567 Inner wire, front 1
	with nuts and washers)	2/8	568 Inner wire, rear
537	Pivot bolt, rear	1/3	569 Inner wire, Lady's
	Pivot bolt rear, (compl. with	2000	570 Inner wire, Tandem 3
	nuts and washers)	2/5	571 Gent's cables complete pair : 5/
540	Seating pad, front	3d.	572 Lady's cables, complete pair : 5/
541	Seating pad, rear	3d.	
542	Brake fixing nut	5d.	575 Touring lever, complete 8 576 Touring lever, only 3/ 577 Touring lever, block 2/
543	Locknut	3d.	577 Touring lever, block 2
	Domed nut	4d.	578 Touring lever pivot screw 3c
545	Washer (for pivot bolt & brake		579 Touring lever pivot bush 3c
	shoe	ld.	580 Touring lever fixing screw &
546	Brake shoe	4d.	nut complete 86
547	Brake shoe fixing bolt	3d.	560 Touring lever cable adjusting
548	Cable Clamp bolt	4d.	screw 7c
549	Cable clamp bolt complete	10d.	582 Touring lever cable adjusting
550	Brake spanner .448"	6d.	nut 6c
551		6d.	592 Coureur Plus left stirrup (A &
	Plastic cable end sheath	ld.	B depth) 3
553	Nylon bush for pivot bolt	6d.	593 Coureur Plus right stirrup (A
554	Stirrup spring (A & B depth		& B depth) 3
	stirrup)	7d.	594 Coureur Plus monogrammed

560 Cable adjusting screw 601 Cable adjuster Thumb wheel 605 Sport Mk. 3 left stirrup (A & B depth)
606 Sport Mk. 3 right stirrup (A & B depth) & B depth)
612 Fibre washer for pivot bolt
613 Open nut for brake shoe screw
616 Sport Mk. 3 lever complete
617 Sport Mk. 3 lever only
6/8 Sport Mk. 3 lever block
619 Sport Mk. 3 lever pivot
620 Sport Mk. 3 fixing screw and nut complete
621 Sport Mk. 3 lever pivot fibre bush
624 Sport Mk. 3 outer cable, front
625 Sport Mk. 3 outer cable, rear
626 Sport Mk. 3 outer cable, rear
626 Sport Mk. 3 inner wire, front
628 Sport Mk. 3 inner wire, rear
629 Sport Mk. 3 inner wire, Lady's complete pair 631 Sport Mk. 3 Lady's cables complete pair 635 Inner wire (Barrel nipple) 597 Superhood Plus lever block 598 Superhood Plus lever pivot red 600 Superhood Plus lever fixing 641 Ferrule for cable end 642 Stepped ferrule for cable end




Sport MK. 3 Brake Designed specially to cater for those persons requiring a high class brake at a very reasonable price. This brake assembly is simple in design and effective in action. The lever, short in reach and very stylish, embodies a novel optic monogram. The stirrup retains the traditional G.B. form, and is available in A or B depth. Domed nuts and studded brake blocks are

126/I Lever and Blo

127 Lever Clip 129 Lever fixing Sc 166 Cross Plate

The 126s Touring lever converts the Sport Mk. 3 into an attractive brake for fitment to Touring and Sports machines.



			- 1	Ret	ail	No.				R
***			***	3	0	180	Hooded Lever complete	9		
	***		***	2	8	175	Lever only			
olt comp	ete			2	8	176	Lever Block			
olt only	***	***		- 1	6	656	Fibre Washer			
***	***				7	657	Lever Insert Ferrule			
	***				4	651		Miller		
444					- 1	176	Cross Pin			
***					1	653	7/8" Lever fixing Clip			
					3	654	15/16" Lever fixing Clip			
lut		***			4	545				
Pad					3	546	D. C.			
ad		***			3	613	Open Nut for Brake Sh			
t comple				2	3 5	614	Brake Blocks (Black)-p			
lt only				ĩ	3	627	I A I A I A I A I A I A I A I A I A I A			
olt comp					10	628	In Adding Day			***
Cable A		compl		1	0	635	Inner Wire Front (Barr		1. 1	***
complet				7	6	636	Inner Wire Rear (Barre		-1	•••
ck				5	6	658	Front Cable complete		-	***
		***	***		6	659	Daniel Calaba and Cala			***
rew and			***		8	660	Erent Cable complete	(DI	NIII	
		***	***		10	661	Front Cable complete	(Barrel	Nibbi	e)
le	***	***	255		3	641	Rear Cable complete		Mibbi	e)
	111	***	•••		3	041	Ferrule for cable end			

IceniCAM Information Service



www.icenicam.org.uk