

A
List
of
SPARE PARTS
for
Royal Enfield
BICYCLES

APRIL, 1948.

THE ENFIELD CYCLE CO. LTD.
Head Office & Works: REDDITCH.

London Office and Spares Depot.

221, TOTTENHAM COURT ROAD, W. I.

A
List
of
SPARE PARTS
for
Royal Enfield
BICYCLES

APRIL, 1948.

THE ENFIELD CYCLE CO. LTD.
Head Office & Works: REDDITCH.

Telegrams : Cycles, Phone, Redditch. Telephone: Redditch 121 (8 Lines).

London Office and Spares Depot :

221, Tottenham Court Rd., W.1.

Telephone: MUSEum 3991-2

INDEX

	Page
Backstays	5
Ball Head Sets	6
Bottom Bracket Sets	7
Brakework, Caliper	12—13
,, Roller Lever	10—11
Chains and Chainwheels	6
Chainguard Set	7
Conditions of Sale	16
Cranks	6
Frames	5
Frame Dimensions, illustrated	4
Front Forks	5
,, Fork Dimensions, illustrated	4
Guarantee	16
Handlebars, illustrated	8—9
Hubs	14—15
Mudguards	15
Pedals	6
Rims	14
Saddles	7
Seat Pillar Sets	6
Spokes	14
Terms of Business	3
Tool Kit	7
Wheels	13

NOTICE

We would respectfully impress upon all riders of Royal Enfield bicycles the advisability of purchasing genuine spare parts made by The Enfield Cycle Company Limited, if and when replacements become necessary. All parts can be ordered either from a Royal Enfield Dealer or direct from us. If communicating with our Works, customers are advised to order parts C.O.D., as this avoids delay in despatch.

TERMS OF BUSINESS

Orders received from the Trade will be despatched immediately and charged to ledger account, where such an account exists with us. In other cases goods will be despatched against pro forma invoice or C.O.D., as may be requested. Please note that the prices listed are for replacements only. An extra charge is made for fitting parts, according to the cost of labour involved. Postage or carriage entail a surcharge of five per cent. on the nett invoice value, with a minimum surcharge of sixpence.


When ordering parts, please quote the frame number of the bicycle. This number is stamped on the lug beneath the saddle or on the rear fork end. In order to facilitate handling of orders, please give the Part No. and description of the article. All communications relating to repairs and replacements should be marked "Cycle Service."

Machines or parts for repair must be sent CARRIAGE PAID, and the name and address of the sender attached. Full instructions regarding the repairs or replacements considered necessary, with advice as to the mode of despatch, should be posted the same day. Failure to comply with this request will mean that parts will lie here at the sender's risk. Before forwarding bicycles it is advisable to remove all easily detachable fittings not intended for repair, such as lamps, bell, saddle, tools and bag, inflator, luggage carrier, etc.

When customers send a complete bicycle or part thereof to us for repair we are always prepared to furnish estimates before proceeding with the work. At the same time, it must be distinctly understood that we can give only an approximate price. Frequently, when the job has actually been commenced, it is found essential to replace worn parts other than those specified in the estimate. If the estimate should be considered unacceptable for the repair required, we reserve the right to make a charge for dismantling and re-assembling any parts necessary in preparing the estimate. Return postage or carriage will be added to any such charge.

GUARANTEE

We respectfully refer customers to the terms of our guarantee appearing on page 16 of this booklet. We reserve the right to alter the prices published, without notice.




FRAME AND FORK DIMENSIONS

Part No.	DESCRIPTION.	No. per set.
FRAMES.		
13889..	" Ensign " Gent's 20"	1
33251..	" " " 22"	1
29245..	" " " 24"	1
24735..	" " Lady's 20"	1
33252..	" " " 22"	1
33253..	" " " 24"	1
13823..	G 22"	1
34810..	G 24"	1
34811..	G 26"	1
24825..	L 22"	1
34812..	L 24"	1
21258..	W, WB, WT, R, CR, 21"	1
33254..	" " " " 23"	1
33255..	WL, WLB, WLT, RL, CRL 19"	1
23228..	" " " " 21"	1
33256..	" " " " 23"	1
14947..	JB Juvenile 18"	1
33257..	JG " 18"	1
FRONT FORKS.		
13968..	* Fork stem 6 1/8" for " Ensign " Gent's 20" frame ..	1
33258..	" " 8 1/8" " " 22" " ..	1
29246..	" " 10 1/8" " " 24" " ..	1
33259..	" " 9 7/8" " " Lady's 20", 22", 24" ..	1
33262..	" " 6 7/8" " W, WB, WT 21" frame ..	1
33263..	" " 8 3/8" " " 23" " ..	1
33264..	" " 7" " WL, WLB, WLT 19" " ..	1
33265..	" " 8" " " " 21" " ..	1
33266..	" " 9" " " " 23" " ..	1
33267..	" " 6 3/4" " R and CR (Russ type) 21" frame..	1
33268..	" " 8 1/4" " " " 23" " ..	1
33269..	" " 7" " CR and CRL " 19" " ..	1
33270..	" " 8" " " " 21" frame ..	1
33271..	" " 9" " " " 23" " ..	1
34813..	" " 7 9/16" " G 22" " ..	1
34814..	" " 9 1/16" " G 24" " ..	1
34815..	" " 11 5/16" " G 26" " ..	1
34816..	" " 11 3/16" " L 22" " ..	1
34817..	" " 13 3/8" " L 24" " ..	1
33272..	" " 6 1/16" " JB (Juvenile) 18" ..	1
33273..	" " 9 1/8" " JG 18" " ..	1
BACKSTAYS. Complete with 2 bottom pins.		
24638..	Backstay for " Ensign " Gent's & Lady's 20" frame	1
24639..	" " " " " 22" " ..	1
24640..	" " " " " 24" " ..	1
25001..	" " " Ensign " Gent's only 26" " ..	1
13833..	" " G & L 22" " ..	1
13834..	" " " " 24" " ..	1
13879..	" " G only 26" " ..	1
14711..	" " JB & JG (Juvenile) 18" " ..	1
*Measured from top of fork stem to bottom of fork crown.		


Part No.	DESCRIPTION.	No. per set.
SEAT PILLAR SETS.		
Models: "Ensign" Gent's and Lady's, W, WL, WB, WLB, WT, WLT, R, RL, CR, CRL.		
20035.. ..	Seat pillar	1
11498.. ..	" bolt	1
26995.. ..	" nut	1
20214.. ..	" cup	1
17306.. ..	" liner	1
Models: JB and JG.		
20035.. ..	Seat pillar	1
1928.. ..	" bolt	1
8633.. ..	" nut	1
20214.. ..	" cup	1
14704.. ..	" liner	1
BALLHEAD SETS.		
13950.. ..	Ball race for crown	1
13951.. ..	" " head	2
13815.. ..	Knurled adjusting disc	1
110.. ..	Lock nut	1
32104.. ..	Ball bearings, $\frac{1}{8}$ " dia.	62
CHAINWHEELS, CRANKS, PEDALS, etc.		
24869/20621	Chainwheel, 48T x 7", crank	1
20710/20621	" 46T x 7" "	1
20710/20623	" 46T x $6\frac{1}{2}$ " "	1
21065/20623	" 40T x $6\frac{1}{2}$ " "	1
21065/32439	" 40T x $5\frac{1}{2}$ " "	1
20622.. ..	Near side crank, 7"	1
20624.. ..	" " 6 $\frac{1}{2}$ " "	1
32440.. ..	" " 5 $\frac{1}{2}$ " "	1
21506/7/8	Cotter pin, c/w nut and washer	2
33520.. ..	Chain, $\frac{1}{2}$ " x $\frac{1}{8}$ ", 101 links, models JB & JG	1
33521.. ..	" " 104 " " " " "Ensign" Lady's, 26" wheel	1
33522.. ..	" " 105 " " " " "R & CR.	1
33523.. ..	" " 107 " " " " "Ensign" Gent's, 26" wheel W, WL, WB, WLB, RL, CRL, WT, WLT	1
33524.. ..	" " 108 " " " " "Ensign" Lady's, 28" wheel	1
33525.. ..	" " 111 " " " " "Ensign" Gent's, 28" wheel	1
29265.. ..	" spring link, $\frac{1}{2}$ " x $\frac{1}{8}$ "	1
PH/83R	Rat trap pedal, complete R.H.	1
PH/83L	" " " " " " L.H.	1
33527.. ..	Rubber pedal complete, R.H.	1
33526.. ..	" " " " " " L.H.	1

Part No.	DESCRIPTION.	No. per set.
BOTTOM BRACKET SETS.		
Models: "Ensign" Gent's and Lady's, W, WL, WB, WLB, WT, WLT, R, RL, CR, CRL.		
18611.. ..	Ball race R.H. thread	1
18632.. ..	" " L.H. thread	2
32018.. ..	" bearings, $\frac{1}{4}$ " dia.	22
18634.. ..	Lock ring	1
33281.. ..	Lubricator	1
154.. ..	Axle, 1 $\frac{1}{2}$ " long	1
13766.. ..	" 1 $\frac{1}{2}$ " " models R, RL, CR, CRL only	1
Models: JB and JG only.		
18611.. ..	Ball race, R.H. thread	2
4002.. ..	Locking pin	2
4003.. ..	" " bushes	2
33060.. ..	" " " nuts	2
32018.. ..	Ball bearings, $\frac{1}{4}$ " dia.	22
33282.. ..	Lubricator	1
CHAINGUARD SET.		
17285.. ..	Chainguard	1
33283.. ..	" front clip	1
17941.. ..	" rear "	1
2383.. ..	" clip pins	2
25498.. ..	" " nuts	2
33284.. ..	*Oilbath gearcase, complete with fittings	1
TOOL KIT.		
18614.. ..	5 $\frac{1}{2}$ " Combination spanner	1
24550.. ..	4" Double-ended spanner, $\frac{3}{8}$ " x $\frac{7}{16}$ "	1
33528.. ..	Small oil can	1
24268.. ..	Small tool bag, 6 $\frac{1}{2}$ " long	1
33529.. ..	Small touring bag, 9" long	1
33530.. ..	Large touring bag	1
33531.. ..	Black inflater, 12" x $\frac{7}{8}$ "	1
33532.. ..	" " 15" x $\frac{7}{8}$ "	1
SADDLES.		
BR/S/22/1 ..	Brook's rexine covered	1
BR/L 99N ..	Brook's narrow racing leather	1
BR/B17 ..	Brook's racing, leather	1
MN/125 ..	Mansfield's rexine covered	1
MN/38N ..	Mansfield racer	1
TE/1087 ..	Terry's "Extracoil," rexine covered, Lady's	1
TE/1280 ..	" " " " " " Gent's	1
*Models WT and WLT.		


HANDLEBARS.



North Road Raised



Comfort Raised



Shallow Lauterwasser

The handlebars shown here comprise our present range, being those in use on various current production models. In the illustrations the brakework has been omitted in order to display the shape of each handlebar as clearly as possible.

Part No.	DESCRIPTION.	No. per set
North Road Raised.		
20414.. ..	Handlebar complete	1
29248.. with brake lugs only	1
20419.. ..	Brake lever lugs	4
17275.. " nuts	4
17353.. ..	Cupped washers, outer	2
23741.. " inner	2
18229.. ..	Packing washers, thick	2
27230.. " thin	2
33968.. ..	Expander bolt	1
25719.. " washer	1
16242.. " wedge	1
20619.. ..	Lamp bracket, long	1
29249.. ..	Handlebar grips	2
21937.. ..	Front roller lever	1
21936.. ..	Rear "	1
27000.. ..	Roller lever nuts	2
19020.. " washers	2
20421.. ..	Front Return Spring	1
20420.. ..	Rear "	1

Part No.	DESCRIPTION.	No. per set.
HANDLEBARS—Contd.		
Comfort, Raised.		
33533.. ..	Handlebar, with stem and lug, ribbed celluloid covering	1
33534.. ..	Handlebar, with stem and lug, chromium plated	1
33969.. ..	Handlebar expander bolt	1
25719.. " " washer	1
16242.. " " wedge	1
23675.. lamp bracket, short, h'bar clip fixing, models R and CR	1
20619.. " " long, h'bar stem fixing models RL and CRL	1
Shallow Lauterwasser.		
22896.. ..	Handlebar, bend only	1
26175.. " lug and stem	1
16418.. " stud	2
26168.. " " nut	2
21728.. " expander bolt	1
16242.. " " wedge	1
25719.. " " washer	1

Part No.	DESCRIPTION.	No. per set.
ROYAL ENFIELD ROLLER BRAKEWORK.		
Front Brakes.		
33535.. ..	Roller lever brake c/w all fittings	1
33966.. ..	" " toggle c/w rod, connection and rivet ..	1
Brake stirrup c/w shoes and connection tube ..		
33970/17986	As above, length of tube 3 ^{1/2} "	1
33970/17987	" " " " " 4 ^{1/2} "	1
33970/17988	" " " " " 5 ^{1/2} "	1
33970/18036	" " " " " 6 ^{1/2} "	1
1679.. ..	Connection tube end eye bolt	1
25499.. ..	" " " " " nut	1
298.. ..	" " " " " washer	1
33971.. ..	Brake shoe c/w pin, nut, washer and block R.H. ..	1
33972.. ..	" " " " " " " " L.H. ..	1
29275.. ..	Brake block	2
33973.. ..	Stirrup guide Clip with cap and pins R.H. ..	1
33974.. ..	" " " " " " " " L.H. ..	1
Rear Brakes.		
33536.. ..	Roller lever brake c/w all fittings	1
33967.. ..	" " toggle c/w rod, connection and rivet ..	1
Brake connection tube, bell crank lever and stirrup rod assembly.		
34800.. ..	As above, length of tube 2 ^{1/2} " except JB and JG ..	1
34805.. ..	" " " " " 2 ^{1/2} " JB and JG only ..	1
34801.. ..	" " " " " 3 ^{1/2} "	1
34802.. ..	" " " " " 5 ^{1/2} " except JB and JG ..	1
34806.. ..	" " " " " 5 ^{1/2} " JB and JG only ..	1
34803.. ..	" " " " " 7 ^{1/2} "	1
34804.. ..	" " " " " 9 ^{1/2} "	1
1679.. ..	Connection tube eye bolt	1
25499.. ..	" " " " " nut	1
298.. ..	" " " " " washer	1
350.. ..	Bell Crank Pin	1
708.. ..	" " " distance piece	1
25498.. ..	" " " nut	1

Part No.	DESCRIPTION.	No. per set.
ROYAL ENFIELD ROLLER BRAKEWORK—Cont.		
Rear Brakes—contd.		
34807.. ..	Brake stirrup c/w shoes and link, except W, JB and JG	1
34808.. ..	" " " " link and rod, W only ..	1
34809.. ..	" " " " connection and drawbolt, JB and JG only ..	1
33975.. ..	Stirrup guide clip with cap and pins, R.H. } except ..	1
33976.. ..	" " " " " " " " L.H. } W & WL ..	1
33977.. ..	" " " " " " " " R.H. } W & WL ..	1
33978.. ..	" " " " " " " " L.H. } only ..	1
17302.. ..	Drawbolt	1
25499.. ..	" nut } JB and JG only	1
298.. ..	" washer }	1
25081.. ..	Anchor clip	1
25082.. ..	" " pivot pin	1
25498.. ..	" " " nut	1
25226.. ..	" " " washer	1
25083.. ..	Stirrup rod eye bolt	1
25499.. ..	" " " " nut	1
25084.. ..	" " " " washer	1
33971.. ..	Brake shoe c/w pin, nut, washer and block, R.H. ..	1
33972.. ..	" " " " " " " " L.H. ..	1
29275.. ..	Brake block	2

Part No.	DESCRIPTION.	No. per set.
ROYAL ENFIELD CALIPER BRAKEWORK.		
Front Caliper Brake.		
33543.. ..	Front caliper brake, complete with all fittings	1
22526.. ..	Brake lever	1
23028.. ..	" saddle	1
23029.. ..	" clip	1
23081.. ..	" pins	2
22835.. ..	" pivot pin	1
29529.. ..	" nut	1
33537/8 ..	Front cable assy. (outer 19 $\frac{1}{8}$ " , inner 21 $\frac{3}{8}$ ") c/w nipples and adjusting screw	1
17527.. ..	" stop	1
25499.. ..	" nut	1
30493.. ..	Brake stirrup, front half	1
30494.. ..	" rear	1
25056.. ..	" return spring	1
23230.. ..	" blocks	2
33986.. ..	" shoes c/w pin and block	2
27354.. ..	Attachment pin	1
26998.. ..	" nut	1
25398.. ..	" sleeve	1
25399.. ..	" nut	1
17921.. ..	" packing washers	3
27351.. ..	Packing piece	1
Rear Caliper Brake.		
33544.. ..	Rear caliper brake, complete with all fittings, Gent's	1
33545.. ..	" " " " " " Lady's	1
22526.. ..	Brake lever	1
23028.. ..	" saddle	1
23029.. ..	" clip	1
23081.. ..	" pins	2
22835.. ..	" pivot pin	1
29529.. ..	" nut	1
33539/40 ..	Rear cable assy. (inner 43" , outer 40 $\frac{1}{8}$ ") c/w nipples and adjusting screw, Gent's.. ..	1
33541/2 ..	Rear cable assy. (outer 52 $\frac{1}{8}$ " , inner 54 $\frac{3}{8}$ ") c/w nipples and adjusting screw, Lady's.. ..	1

Part No.	DESCRIPTION.	No. per set.
ROYAL ENFIELD CALIPER BRAKEWORK—Contd.		
Rear Caliper Brake—contd.		
17527.. ..	Rear cable stop	1
25499.. ..	" nut	1
30493.. ..	Brake stirrup, front half	1
30494.. ..	" rear	1
25056.. ..	" return spring	1
23230.. ..	Brake blocks	2
33986.. ..	" shoes with pin and block	2
27355.. ..	Attachment pin	1
25398.. ..	" sleeve	1
25399.. ..	" nut	1
26998.. ..	" nut	1
17525.. ..	Packing piece, plain	1
27352.. ..	" slotted	1
17921.. ..	" washers	3
WHEELS. Complete less tyre.		
Front.		
33554.. ..	28" x 1 $\frac{1}{8}$ " Westwood rim type	1
29250.. ..	26" x 1 $\frac{1}{8}$ " " " " "	1
33291.. ..	26" x 1" Endrick " " " "	1
33293.. ..	24" x 1 $\frac{1}{8}$ " Westwood " " " "	1
Rear.		
33556.. ..	28" x 1 $\frac{1}{8}$ " Westwood rim type	1
29256.. ..	26" x 1 $\frac{1}{8}$ " " " " "	1
33292.. ..	26" x 1" Endrick " " " "	1
33294.. ..	24" x 1" Westwood " " " "	1
33378.. ..	26" x 1" Endrick " " plus double cog hub	1

Part No.	DESCRIPTION.	No. per set.
RIMS.		
Front.		
30580..	Westwood, 28" x 1 1/8", 32 holes	1
29251..	" " 26" x 1 1/8" " "	1
30577..	Endrick, 26" x 1 1/8" " "	1
30571..	Westwood, 24" x 1 1/8" " "	1
Rear.		
30594..	Westwood, 28" x 1 1/8", 40 holes	1
30574..	" " 26" x 1 1/8" " "	1
30582..	Endrick, 26" x 1 1/8" " "	1
30593..	Westwood, 24" x 1 1/8" " "	1
SPOKES.		
Front.		
33546..	* 12 1/16" x 15G. for 28" x 1 1/8" Westwood rim	32
33547..	† 12 1/16" x 15G. " 28" x 1 1/8" " "	32
29252..	* 11 1/16" x 15G. " 26" x 1 1/8" " "	32
33548..	* 11 3/16" x 15G. " 26" x 1 1/8" Endrick	32
33549..	† 11 1/4" x 15G. " 26" x 1 1/8" " "	32
33550..	* 11 3/8" x 15G. " 26" x 1 1/8" " "	32
33551..	* 10 1/8" x 15G. " 24" x 1 1/8" Westwood	32
33552..	† 10 3/16" x 15G. " 24" x 1 1/8" " "	32
Rear.		
33546..	* 12 1/16" x 15G. for 28" x 1 1/8" Westwood rim	40
29252..	* 11 1/16" x 15G. " 26" x 1 1/8" " "	40
33549..	* 11 1/16" x 15G. " 26" x 1 1/8" Endrick	40
33376..	† 10 5/16" x 14G. " 26" x 1 1/8" Westwood	40
33553..	† 11 1/8" x 14G. " 26" x 1 1/8" Endrick	40
33550..	* 11 3/8" x 15G. " 26" x 1 1/8" " "	40
33552..	* 10 3/16" x 15G. " 24" x 1 1/8" Westwood	40
29253..	Spoke nipples 15G., front and rear, all models	72
33561..	" " 14G., rear only, 3 and 4 speed models	40
29254..	Rim washers for Westwood rims	72
ENFIELD FRONT HUB SET.		
23734..	Hub complete, 32 holes	1
22881..	Barrel with ball races only	1
19560..	Cup ball races	2
23882..	Cone, fixed	1
23881..	" adjustable	1
24370..	Spindle, 5/16" dia.	1
27304..	" nuts	2
F 193..	" washers, plain	2
* Enfield hub. † Ideal hub. ‡ S.A. 3-speed and 4-speed hubs.		

Part No.	DESCRIPTION.	No. per set.
ENFIELD FRONT HUB SET—Contd.		
24834..	Oil retaining washers	2
32017..	Ball bearings, 3/16" dia.	18
18619..	Lock nuts	2
33558..	Oil hole cover	1
ENFIELD REAR HUB SET.		
23735..	Hub complete, 40 holes	1
24140..	Barrel with ball races only	1
19560..	Cup ball races	2
23883..	Cone, adjustable	1
23884..	" fixed	1
24703..	Spindle, 3/8" dia.	1
26995..	" nuts	2
17192..	Serrated washers	4
19561..	Oil retaining washers	2
32018..	Ball bearings, 1/4" dia.	18
18619..	Lock nuts	2
29274..	Oil hole cover	1
29266..	Chain adjusters with caps and nuts	2
29276..	Freewheel, 18 teeth	1
33518..	Cog, 18T for S.A. 3 or 4-speed hub	1
33519..	" 15T for fixed gear	1
19603..	" 17T " "	1
19513..	" lock ring	1
MUDGUARDS. Complete with Stays and Fittings. Front.		
30788..	Royal type mudguard, 26", models " Ensign " Gent's & Lady's	1
24696..	Mudguard, 26", models W & WL	1
33379..	Streamlined mudguard, 26", models WB, WLB, WT, & WLT	1
24697..	* Racing type mudguard, 26", models WB, WLB, WT, & WLT	1
19135..	Sports " " 26", " R, CR	1
24697..	* Racing " " " " R, RL, CR, CRL	1
19136..	Sports " " " " RL, CRL	1
14706..	Juvenile type " 24", " JB & JG	1
Rear.		
30785..	Royal type mudguard 26", models " Ensign " Gent's & Lady's	1
30848..	Mudguard, 26", models W & WL	1
33380..	Streamlined mudguard, 26", models WB, WLB, WT, & WLT	1
24698..	* Racing type " " " WB, WLB, WT, & WLT	1
17659..	Sports " " " " R, RL, CR, CRL	1
24698..	* Racing " " " " " " " "	1
14705..	Juvenile type " 24", " JB & JG	1
* Alternative styles.		

CONDITIONS OF SALE.

All goods are sold subject to the conditions of guarantee given below, and are to be considered as delivered to the customer when put on rail at Redditch Station, collected by Road Transport Carrier or collected in person. All orders are accepted and executed upon this understanding.

Upon receipt of goods by the customer, it is essential that the Railway Company's or Carrier's delivery sheet should in all cases be signed "not examined." The goods should then be carefully inspected, and in the event of damage, notice should be at once sent to the carriers, and claim made from them. Cases and crates for shipment abroad are charged at cost price. **The specifications and prices in this list are subject to modification at any time without notice.**

We do not appoint agents for the sale of our bicycles or other goods, but assign to bicycle dealers (styled "regional" dealers) who carry on business on their own account, areas in which they have an exclusive or other right to sell goods purchased from us. The regional dealer, purchasing from us, or a sub-dealer purchasing from him, may, on our behalf (as our agent for this purpose only), give the guarantee printed below. Any such dealer is not authorised to advertise, incur any debts, or transact any business whatever on our account, nor is he authorised, so as to bind us, to give any guarantee or make any representation on our behalf, or to sell subject to or with any condition other than those contained in such guarantee.

CONDITIONS OF GUARANTEE.

We guarantee, subject to the conditions mentioned above, that all precautions which are usual and reasonable have been taken by us to secure excellence of materials and workmanship. We give this guarantee with our machines instead of the guarantee implied by statute or otherwise as to the quality or fitness for the purpose of cycling of goods supplied by us; any such implied guarantee being in all cases excluded. In the case of machines which have been used for "hiring out" purposes, or in respect of which our Trade Mark or Manufacturing Number has been removed, no guarantee of any kind is given or is to be implied.


ALL ROYAL ENFIELD BICYCLES and Spare Parts made and equipped in accordance with the specification in this Booklet **ARE GUARANTEED FOR TEN YEARS.** Parts of proprietary manufacture, such as tyres, saddles, chains, rims, variable gears, coaster hubs, etc. do not come within the terms of our Guarantee. Such parts are, however, normally guaranteed by the respective manufacturers, to whom any claim should be made in the event of such parts proving defective. We undertake, subject to the conditions mentioned below, to make good at any time during the period mentioned defects in these respects to our Cycles, but the guarantee does not apply to defects caused by wear and tear, misuse or neglect. If a defective part should be found in any of our machines it must be sent to us carriage paid, and accompanied by an intimation from the sender that he desires to have it repaired free of charge under our guarantee, and he must also furnish us at the same time with the number of machine, the name of the dealer from whom he purchased, and the date of purchase. Failing compliance with the above, no notice will be taken of anything which may arrive, but such articles will lie here at the risk of the senders, and this guarantee, or any implied guarantee, shall not be enforceable.

We guarantee only those machines and spare parts which are bought either direct from us or from our duly authorised dealers, and under no other conditions.

This guarantee does not extend to Motor Cycles, for which a separate guarantee is issued.



IceniCAM Information Service



www.icenicam.org.uk