

**FANTIC
MOTOR**

FANTIC TX 290 (291)

CABALLERO 50 cc REGOLARITÀ 4/6 M



CARATTERISTICHE TECNICHE

MOTORE: monocilindrico in alluminio a 2 tempi.
ALESAGGIO E CORSA: 38,8 x 42
CILINDRATA: 49,6 cc
POTENZA: a codice.
RAPPORTO DI COMPRESSIONE: 11 : 1
CARBURATORE: DELL'ORTO SHA 14/12
LUBRIFICAZIONE: miscela al 2% di Olio FIAT MOTO 2T Super
ACCENSIONE: a volano magnete 6V 18W e bobina A.T. esterna.
AVVIAMENTO: a kick starter.
TRASMISSIONE: primaria ad ingranaggi, rapporto 1 : 4,615; secondaria a catena 1/2 x 3/16", rapporto 1 : 2,84 (1:3,46).
CAMBIO: 4/6 marce regolarità con frizione multidisco in bagno d'olio.
TELAIO: a doppia culla chiusa in acciaio speciale, carter catena in plastica, parafanghi bianchi in materiale plastico infrangibile.
SOSPENSIONI: anteriore a forcelle superidraulica, posteriore con ammortizzatori idraulici regolabili su 3 posizioni.
CERCHI: in acciaio cromato ant. WMO/1,5 x 19", post. WM1/1,6 x 17" con freni a tamburo Ø di frenatura 118 m/m.
PNEUMATICI: ant. 2.50 x 19", post. 3.00 x 17" PIRELLI.
SERBATOIO: capacità lt. 6,5 c/riserva.
PESO: a vuoto Kg. 73 (74).
PRESTAZIONI: a codice.
Si guida dall'età di 14 anni senza targa e senza patente.

TECHNICAL SPECIFICATIONS

ENGINE: 2 stroke, aluminium single cylinder.
DISPLACEMENT: 49,6 cc
BORE AND STROKE: 38,8 x 42 m/m
COMPRESSION RATIO: 11 to 1
BRAKE HORSEPOWER - R.P.M.: *
CARBURETTOR: DELL'ORTO SHA 14/12 with special silenced air intake with foam air cleaner.
LUBRICATION SYSTEM: petrol-oil mixture 2% (50 : 1)
IGNITION SYSTEM: flywheel magneto 6V 23W with external coil.
STARTING: kick starter lever.
TRANSMISSION: primary drive gear, ratio 1:4,615; secondary chain 1/2 x 3/16", ratio 1:2,64 (1:3,46).
GEARBOX: 4/6 speed with clutch multiple disc in oil bath.
FRAME: special double loop high resistance steel tube.
SUSPENSIONS: front telehydraulic fork, rear swing arm with adjustable hydraulic shocks.
WHEELS: steel rims WMO/1,5 x 19" front, WM1/1,6 x 17" rear with front and rear brake drum Ø 4.64 in.
TYRES: front 2.50 x 19", rear 3.00 x 17" PIRELLI.
FUEL TANK: steel plate capacity 1.3 gallon with reserve.
WEIGHT: 162 pounds.
MAX SPEED: *

* **U.K. Model** conforms to U.K. Moped legislation and is equipped with speedometer, rear number plate bracket and U.K. standard lighting.

IceniCAM Information Service

