FANTIC MOTOR



FANTIC TI

TURISMO INTERNAZIONALE







TECHNICAL SPECIFICATIONS: Engine-Single Cyl. Two Stroke-Bore and Stroke 38.8mm x 42—49.6cc GEARBOX: Six Speed Footchange - CARBURETTOR: SHA 1414 - IGNITION: Flywheel Magneto Supplying External H.T. Coil - FUEL: Petrol/Oil Mixture 5% (20:1) FIG. 1 shows Chrome Rear Carrier "Standard Fitting" - Solid Plate Seat Fixing - SUSPENSION: FIG. 2 shows Front Hydraulic Telescopic Fork with Alloy Block Fittings - Main and Dipped Headlamp Unit - FIG. 3 shows Rear Dampers which acts on Swinging Arm - TYRES: Pirelli 2.75 x 17 Front - Rear - TANK CAPACITY: 1.1 Imp. Gal. - STARTING: By Pedals which at "Flick of a wrist" become Footrests. - Power Output: 6.8 H.P. at 9.000 R.P.M.







FANTIC MOTOR S. p. A.
RECREATIONAL 22061 BARZAGO
VEHICLES (Como) - ITALY

Sole U.K. Concessionaires

YOUR LOCAL DEALER



EUROTRADE LTD
HIGH STREET - HORNCHURCH - ESSEX - RM11 1TR - ENGLAND - Telephone: 58158

IceniCAM Information Service

