



# HALFORDS



The shop for  
Motor Cyclists  
& Motorists

CATALOGUE FOR  
**Motor Cyclists & Motorists**

CORONATION  
YEAR



1953



## INTRODUCTION

IT is with very great pleasure that we offer a Halford Catalogue to our customers for the first time since the war.

Many of our business friends remember the publications which we used to produce every year, and from all over the country we continue to receive requests for an up-to-date list of the many accessories which we stock. It has been a great disappointment to us that shortage of supplies and constantly changing prices have made it impossible to meet these requests in the past and we are very happy to feel that the supply position to-day allows us to publish this catalogue, which gives particulars of the unequalled selection offered at every Halford branch.

There have been very many changes since we published our last Accessories Catalogue, but our policy remains the same — to give our customers the Biggest Selection and Best Value possible, backed by experienced and courteous service which has been our pride for nearly fifty years.

Although we have taken every care to see that the particulars given in this catalogue are correct up to the time of printing, new lines will have been added to our range and some prices will have altered by the time our customers receive this list. May we remind you then, that there is a Halford branch within easy reach wherever you may live, and that this catalogue shows only a part of the goods we stock.

Your nearest Halford branch can show you far more than we are able to print in these pages and, though we are always pleased to execute your orders through the post, it is much more satisfactory to see the goods for yourself.

We hope you will be interested in the following pages . . . but see the Full Selection at YOUR Halford branch.

### CARRIAGE AND POSTAL CHARGES

Unless instructed to the contrary, goods will all be sent C.O.D.  
— if customers require them sent carriage paid the cost of carriage must be included in their remittance.

### THE HALFORD CYCLE CO. LTD.

Head Office: 239 CORPORATION STREET, BIRMINGHAM 4

1953

## MOTOR CYCLIST CLOTHING

It is essential for motor cyclists to wear clothing specially designed for the purpose, and you will find in this catalogue a selection of the guaranteed garments to meet your requirements.

### BELSTAFF M/C COATS



**Belstaff Senior T.T.** black polished beaverteen, competition coat with "tummy protector" and leg attachments. Unlined. Chest sizes: 34, 36, 38, 40, 42, 44 in. . . **107/6**

**Belstaff Senior T.T.** black polished beaverteen competition coat. Fully lined, "tummy protector", leg attachments, press-stud fastener front. Chest sizes: 34, 36, 38, 40, 42, 44 in. . . **130/-**



**Belstaff Junior T.T.** fawn gaberdine three-in-one stormcoat, oil-skin interlining, fleece lined, map pocket, two large side pockets, leg attachments, fixed "tummypad" **189/-**

**Belstaff "Duplex"** Proofed Gaberdine Stormcoat. Fleece lined. Single-breasted buttoned front, with "tummy protector" and leg attachments. Two side pockets, map pocket. Chest sizes: 34, 36, 38, 40, 42, 44 in. . . **130/-**

**Belstaff "Viceroy"** Fawn Double Texture Twill Beaverteen Competition Coat. With "tummypad" and leg attachments. Two side pockets, press-stud fastener front. Chest sizes: 34, 36, 38, 40, 42, 44 in. . . **99/6**

### STORMGUARD COATS

**Model 202.** Three-in-one coats. Fawn gaberdine. Waterproof interlining and fleece lining. Leather bound edges and cuffs. Complete with "tummypad". Chest sizes: 34, 36, 38, 40, 42 in. . . **187/6**  
**Model 202.** Ditto. Chest size: 44 in. . . **210/-**





# MOTOR CYCLIST

## ARMADRAKE M.C. COATS

Comet fawn gaberdine, oil cambric interlining and woollen fleece lining. Self adjusting, collar attached nek-muf scarf. Adjustable Tummypad attachment. Leather-bound cuffs ... **202/5**

Meteor fawn gaberdine, oil cambric interlining. Zip detachable woollen fleece lining. Self adjusting collar attached nek-muf scarf. Adjustable Tummypad. Leather bound cuffs ... **215/8**

## LEATHER COATS

Chocolate leather coats. Specially made for motor cycling purposes. Fitted oilskin interlining. Fully lined and with map pocket and two side pockets **305/4**

## SPORTS JACKETS

Chocolate and black leather jackets. Zip fastener front. Fleece lined. Two zip bottom pockets. One zip breast pocket. Press stud cuffs. Peter Pan collar. Chest sizes: 34/36, 38/40, 42/44 in. **139/6**

## LEATHER HELMETS

Black and chocolate, lined. Detachable chin strap. Sizes 6½, 6¾, 7, 7½, 7¾ **18/2**

White leather. Fleece lined. Detachable chin strap. Sizes 6½, 6¾, 7, 7½, 7¾. Fitted with goggle loop. **23/-**

Chocolate leather, chamois lined. Fur trimmed with peak. Sizes 6½, 6¾, 7, 7½, 7¾ ... **28/2**

## SKI CAPS

Black rubber proofed, black cotton lining. Sizes 6½, 6¾, 7, 7½, 7¾. Detachable chin strap. **10/9**

Black leather, cotton lining. Detachable chin strap. Sizes 6½, 6¾, 7, 7½, 7¾ **21/6**

Sykes black leather, fleece lined. Sizes 6½, 7, 7½ only **21/9**

## CRASH HELMETS

Supplied to customers' orders. Stamped A.C.U. **60/6**

# CLOTHING



## GOGGLES

Oblong, plastic lens, chenille edging **2/11**

Oval, anti-dazzle plastic lens. Aluminium frames, sorbo rubber cups **6/6**

Panorama all-rubber frames, clear plastic lens. Strong elastic headband **9/11**

Large clear plastic lens. Aluminium frames. Moulded rubber cups **12/6**

The popular "Mark VIII" R.A.F. pattern. Four-sided clear lens, leather padded frames **19/6**

One-piece eye mask. Chenille edging. Non-flam. Large ... **2/9**

Small ... **2/3**

Extra deep for wearing over spectacles **3/6**

A large selection to choose from at all Halford Branches

## GLOVES



Hide, roller strap fastening. Imitation lamb lined. Hard wearing and very popular with motor cyclists **65/9**



Tan leather, lined fleece. Leatherette cuff **18/9**



Soft tan leather, rexine cuff, lined fleece **17/9**

## MITTS



## OVERBOOTS

### FOR MOTOR CYCLISTS

Worn over ordinary shoes. Not suitable for wading in water or for fishermen.

North British, sizes 6-11.

**45/9** pair

Dunlop.

**45/9** pair


Black leather, bag type. Fleece-lined palm and imitation lamb lined cuff **50/3**  
Other gauntlets from **14/6** pair

### Carriage and Postal Charges.

Unless instructed to the contrary, goods will be sent C.O.D. —if customers require them sent carriage paid the cost of carriage must be included in their remittance.



# MOTOR CYCLE TYRES & TUBES



## DUNLOP

### WIRED TYPE

#### Dunlop Universal

Size	Tube
2.375 x 19	13/-
2.375 x 21	13/6
2.50 x 19	13/-
2.75 x 19	13/-
2.75 x 21	13/6
3.00 x 19	13/-
3.00 x 20	13/6
3.00 x 21	13/6
3.25 x 18	13/-
3.25 x 19	13/-
3.25 x 20	13/6
3.50 x 19	14/6
3.50 x 21	13/6
4.00 x 18	14/6
4.00 x 19	14/6

#### Dunlop Fort

3.00 x 19	13/-
3.00 x 20	13/6
3.00 x 21	13/6
3.25 x 18	13/-
3.25 x 19	13/-
3.25 x 20	13/6
3.50 x 19	14/6
4.00 x 18	14/6
4.00 x 19	14/6

Price
2 5 0
2 5 0
2 7 0
2 11 0
2 11 0
2 18 0
2 18 6
2 18 6
3 1 6
3 4 0
3 4 6
3 14 0
3 16 6
4 10 0
4 12 0

### Dunlop Ribbed

Size	Tube	Price
2.75 x 19	13/-	2 11 0
3.00 x 19	13/-	2 18 0
3.00 x 20	13/6	2 18 6
3.00 x 21	13/6	2 18 6
3.25 x 19	13/-	3 4 0
3.50 x 19	14/6	3 14 0

### Dunlop Sports

2.75 x 21	13/6
3.00 x 19	13/-
3.00 x 20	13/6
3.00 x 21	13/6
3.25 x 19	13/-
3.50 x 19	14/6
4.00 x 18	14/6
4.00 x 19	14/6

3 1 6
3 9 6
3 10 0
3 10 0
3 16 6
4 8 6
5 7 6
5 10 0

### BEADED EDGE

#### Dunlop Universal

26 x 2	8/-
24 x 2 1/2	12/-
26 x 2 1/2 x 2 1/2	12/-
26 x 3	13/6

2 11 0
2 11 0
2 18 6
3 1 6

## FIRESTONE & AVON

### WIRED TYPE

#### Firestone Ribbed

300 x 19	13/-
300 x 20	13/6
300 x 21	13/6
325 x 19	13/-

#### Firestone A.N.S.

275 x 19	13/-
300 x 19	13/-
300 x 20	13/6
325 x 19	13/-
350 x 19	14/6
400 x 18	14/6
400 x 19	14/6

#### Avon Speedster

275 x 21	13/6
300 x 20	13/6
300 x 21	13/6
325 x 19	13/-
350 x 19	14/6

2 18 0
2 18 6
2 18 6
3 4 0
2 11 0
2 18 0
2 18 6
3 4 0
3 14 0
4 10 0
4 12 0

### Avon New Supreme

275 x 19	13/-
275 x 21	13/6
300 x 19	13/-
300 x 20	13/6
300 x 21	13/6
325 x 18	13/-
325 x 19	13/-
325 x 20	13/6
350 x 19	14/6
400 x 18	14/6
400 x 19	14/6


2 11 0
2 11 0
2 18 0
2 18 6
3 1 6
3 4 0
3 4 6
3 14 0
4 10 0
4 12 0

### Avon Gripster

275 x 21	13/6
300 x 19	13/-
300 x 21	13/6
325 x 19	13/-
325 x 20	13/6
350 x 19	14/6
400 x 19	14/6

3 1 6
3 9 6
3 10 0
3 16 6
3 17 6
4 8 6
5 10 0


# MOTOR CYCLE LAMPS & BATTERIES



## MOTOR CYCLE HEADLAMP

Raydyot. A headlamp of pleasing design. 4 1/4" flush fitting front. Full universal adjustment and clip for either 7/8 in. or 1 in. handlebar. Heavy silvered reflector. 6 volt. Single contact only. Chrome finish ... 39/-

## TAIL LAMPS



Raydyot. All black finish. Tubular, flange fitting. Less bulb ... 7/6

Raydyot. Tubular, direct fitting, less bulb ... 7/6


## STOP & TAIL LAMPS



Stadium. with flex and switch 10/6  
S.T.L. stop tail and indicator units complete ... 28/6

Raydyot ebony, with chrome rim 9/8  
Sparto, all plastic lens, with bulb 12/-

## STOP-TAIL SWITCH



Metal pattern with stay clip 2/11

## DIP SWITCHES



Three-way positions, "on-off-on" for handlebar fitting ... 2/6

Two-way quick-action. Chrome-plated body ... 5/6

Combined horn-push and dipping-switch, polished aluminium body ... 7/6

## BATTERIES



Lucas Lightweight Motor Cycle, 6 volt (5 amp. hours at 10 hour rate). Size, Length 3"-, Width 3"-, Height 5". Uncharged £1 14 3

Lucas Motor Cycle, 6 volt, 7-plate with terminals or loose cables. With lid. Uncharged. £2 2 6

Lucas Sidecar model. High Capacity 6 volt. (20 amp. hours at 10 hour rate). Length 7 1/8", Width 3 1/4", Height 6 1/4". Uncharged £3 8 9

Exide 6 volt, 5-plate. "Buoyed Power". "T" shape with rubber suspension. External terminals. With lid. Uncharged. ... £2 12 0

BATTERY CARRIERS for frame mounting of standard motor cycle batteries "Lucas" Pattern ... 6/7

### BATTERY TESTERS

Motor Cycle model ... 3/11 1 1/2" Flush type 8-0-8A ... 8/9

Junior Hydrometer (Glass) 5/6 2" Flush type 8-0-8A ... 11/6

Exide High Grade 8/8

CAPACITY INDICATORS. "Neo" 6 or 12 volt ... 30/-

### AMMETERS (For Motor Cycles)

1 1/2" Flush type 8-0-8A ... 8/9

2" Flush type 8-0-8A ... 11/6

... but see the full selection

at YOUR HALFORD BRANCH





# MOTOR CYCLE

## CONTROLS



**LEVER** ( $\frac{3}{4}$  and 1 in. clips)

Trigger exhaust as shown **4/3**  
Clutch .. .. **5/3**  
Magneto, Right- or Left-hand **5/6**



**TWIST GRIP**

Quick Action .. **7/6** and **8/9**  
Amal pattern .. .. **10/6**  
Rubbers for Twist Grips  
**8d., 9d. and 1/-**



## HANDLEBAR BENDS



Heavy gauge. Raised type  $\frac{3}{4}$  and 1 in., chrome plated .. .. **9/9**  
Triumph pattern. Chrome .. .. **12/9**

## KICKSTARTER AND FOOTREST RUBBERS

**KICKSTARTER RUBBERS**

No. 781 (as shown) .. .. **9d.**  
No. 627 (as shown) .. .. **10d.**

*Other patterns stocked.*



**FOOTREST RUBBERS.** To fit all popular machines. From **1/6** each

## BULBS FOR MOTOR CYCLE LAMPS

**HEADLIGHT (DOUBLE FILAMENT)**

6 volts, 24 x 24 watts, 38 mm. diam. .. .. **4/1**  
6 volts, 36 x 36 watts, 38 mm. diam. .. .. **4/1**  
6 volts, 30 x 24 watts, transverse vertical dip .. **6/5**

**TAIL LAMP**

6 volts, 3 watts, 18mm. diam. .. .. **1/7**

**SPEEDO**

6.5 volts, 3 watts, M.C.C. .. .. **10d.**

# FITMENTS




## PILLION SEATS



**Carrier Fitting**

Sorbo padded green rexine covered  
12 x 7 x 2 $\frac{1}{2}$  in. suitable for  
B.S.A. bantam machines **18/6**



**Spring Type**


Black rexine. Improved model with  
peaked back .. .. **23/-**  
Large type with raised back **27/-**  
Lycetts .. .. **36/6**



**Mudguard fitting**

Black rexine, "Dunlopillo" interior .. **17/-**  
As above, but with peaked back .. **23/6**

## PILLION FOOTRESTS



Adjustable pattern .. **7/11** pair  
Special pattern for Triumph, Ariel, B.S.A.  
and Enfield .. .. **7/3** pair  
For B.S.A. Bantam .. **11/-** pair  
For A.J.S., Matchless, Ariel **11/-** pair  
B.S.A. Bantam, Spring frame **10/-** pair

## SPARKING PLUGS

Lodge standard and long reach, sports and O.H.V. .. **5/6**  
Champion motor cycle 14 mm and Sports 14 mm .. **5/-**  
Champion long reach for high compression motor cycles .. **5/-**  
K.L.G. standard and sports .. **5/-**

*For sparking plug accessories see page 16*

## CHAINS

**Renold Motor Cycle Driving Chains**

$\frac{3}{8}$  x  $\frac{5}{16}$  in. .. **5/3** per foot  $\frac{1}{2}$  x  $\frac{3}{16}$  in. .. **7/8** per foot  
 $\frac{7}{16}$  x  $\frac{3}{16}$  in. .. **5/3** per foot  $\frac{3}{8}$  x  $\frac{1}{8}$  in. approx. **9/-** per foot  
 $\frac{1}{2}$  x  $\frac{5}{16}$  in. .. **7/8** per foot  $\frac{3}{8}$  x  $\frac{3}{16}$  in. .. **9/-** per foot

## CHAIN SPARES



Cranked double links  
from **8d.**



Single links from **4 $\frac{1}{2}$ d.**



Spring clips from **1d.**





# MOTOR CYCLE

## LICENCE HOLDERS



**Raydyot.** One hole, silver finish, bracket fitting, **2/-**




**Puck.** One hole, bracket fitting, **4/-**



**Desmo.** One hole fitting, **2/3**


## MIRRORS



4" diameter. Clip fitting. **5/3**  
Ebony .. ..

4" convex. Chrome finish .. .. **12/6**

4 1/2" x 2 3/4" oblong. Black and Chrome .. .. **13/6**



## HORNS



**Sports type Bulb Horn.** 12 1/2" overall.

Ebony .. **5/6**  
Chrome .. **7/11**



**Clear Hooter for lightweights** .. **18/6**

**Clear Hooter.** Specially suitable for lightweights and autocycles. Works off 4 unit cells. Complete with tubular carrying case (less batteries), **27/-**



## HORN PUSHES

To fit Motor-cycle Handlebars



For 7/8 in. or 1 in. bar, chrome finish, **3/6**



Ebony with plated button, to fit 7/8 in. bar, **1/9**



Chromium-plated, to fit 7/8 in. bar, **3/3**




With universal clip, chromium-plated, **2/9**

# FITMENTS



## LEG SHIELDS



**Patrol** as advertised. Suitable for most motor cycles .. .. **39/6** pair

**Junior models, black** .. .. **31/6** pair

**Junior models, bantam green and maroon** .. .. **34/6** pair

**Triumph Thunderbird.** Triumph silver or maroon, gold flash. (To order: postage extra). **43/6** pair

## PANNIER BAGS

**Twin pannier (less frames).** Made from strong canvas material. Approx 13 1/2 x 13 x 5 in. Easily attached to frames .. **42/8** pair

**Frames for above.** Universal model, strip steel pattern. Suitable for attaching to most machines.



Ebony black finish **25/-** pair

**Tubular pattern frames** **32/-** pair

**Bags for special "quick detachable" frames** Good quality strong canvas with deep storm flaps.

Size 14 1/2 x 14 x 15 in. .. **54/10** pair

**Quick detachable frames for above.** Very easily fitted or removed. Ebony black **35/6** pair



## NUMBER PLATES



**Front. Steel, black enamelled, less fittings** .. .. **1/-**

**Rear. Streamlined, steel, 1 1/2 in. lamp hole, less fittings** .. **2/6**

**ditto, without lamp hole** .. **2/6**

**Transfers for numbers, .. 1d. each**

**Transfer varnish** .. ..

**Aluminium number plates. Front or rear .. .. 11/6 each**

**MAGDYNO COGS**

**Fibre, 23 x 1/2 in. 3/-**

**58 x 3/4 in. 7/3**

**58 x 1 in. with metal centre 10/3**



## SADDLE TOPS



**Replacements for well-known makes:**

**Black Rexine, Felt lined, for "Terry" Junior or "Lycett" Junior** .. .. **8/3**

**Black Rexine, Felt lined, for "Lycett" Standard** .. **9/3**

**Black Rexine, for "Terry" Standard** .. .. **9/6**

**Black Rexine, for "Lycett" Universal** .. .. **24/-**



# MOTOR CYCLE FITMENTS




## WINDSCREENS

Touring sidecar windscreens. Front panel 25 x 11 in. Apron 18 in. Complete .. 25/-  
Hood for above .. 30/-




Handlebar windscreens. Latest model perspex shield with apron.  
Stadium Junior .. 45/- Stadium Senior .. 55/-  
H.M.F. Giant .. 56/6

## PETROL TAPS



Stock sizes. Tank thread  $\frac{1}{8}$  in. gas. Union thread  $\frac{7}{16}$  in. x 19 thread for  $\frac{1}{4}$  in. pipe. Tank thread  $\frac{1}{4}$  in. gas. Union thread  $\frac{1}{4}$  in. gas for  $\frac{3}{16}$  in. pipe. Concentric cork seated with sliding push .. 4/-  
Evertite  $\frac{1}{8}$  in. gas x  $\frac{1}{4}$  in. pipe or  $\frac{1}{4}$  in. gas x  $\frac{1}{16}$  in. pipe .. 3/9  
Two level .. 5/6




## PETROL UNIONS, NIPPLES AND PIPES



Double-ended petrol unions.  
Brass  $\frac{1}{8}$  in. gas for  $\frac{1}{4}$  in. pipe .. 1/1  
Brass for motor cycle,  $\frac{7}{16}$  in. x 19 thread x  $\frac{1}{4}$  in. pipe .. 11d.  
Brass for  $\frac{1}{4}$  in. gas x  $\frac{3}{16}$  in. pipe .. 1/1  
NIPPLES. Nuts and nipples only for petrol unions.  $\frac{7}{16}$  in. x 19 thread for  $\frac{1}{4}$  in. pipe .. 4d.  
For  $\frac{1}{4}$  in. gas x  $\frac{3}{16}$  in. pipe .. 4d.  
PETROL PIPES. Universal pattern for Motor Cycles. 12 in.  $\frac{1}{4}$  x  $\frac{1}{4}$  gas .. 5/- 13 in.  $\frac{1}{4}$  x  $\frac{7}{16}$  cycle .. 5/3

## SILENCERS, CLIPS AND FISHTAILS



Round Type.  
Standard pattern  
3 in. diameter.  
Chrome 17/6



Megaphone type. Chromium-plated. 1 $\frac{1}{2}$  to 2 in. 18/6

### SILENCER CLIPS

Body clips as shown, 1/6 Exhaust guard clips, 1/6

### FISHTAILS

Standard model, heavy gauge .. 7/3

Brooklands pattern. Chrome-plated. 1 $\frac{1}{2}$  to 2 in. 7/-



# HOLTS SPECIALITIES

## GUN GUM

Leaky Silencers can be permanently repaired in a few minutes with Holt's plastic Gun Gum. No tools, no dismantling. Simply press into position with finger and thumb. Sets hard, withstands heat and vibration. Gives permanent repair and gas-tight seal which prevents fumes.  
3/6 per tin.

## RADWELD

For a five minute permanent repair while you drive, simply pour Radweld into radiator. Unaffected by temperatures, water pressure or anti-freeze. Radweld contains no dangerous powders or corrosives. Works while you drive. Cannot clog.

For cars, 3/6  
For trucks, 6/-

## PISTON SEAL

A thirty minute treatment to check oil loss and restore compression. Compensates cylinder wear by forming a self-lubricant seal at piston top. Gives new car performance for up to 10,000 miles. No dismantling. Saves oil. Quietens engine.

Cars up to 12 h.p. 15/-  
Cars 12-35 h.p. 25/-  
Motor cycles .. 8/6

## RUNNING-IN COMPOUND

Holt's Running-in Compound. Contains Acheson Colloidal Graphite. Gives extra protective lubrication when it is most needed. In new or reconditioned engines use one tin per half gallon engine oil, and for regular use, one tin per one gallon engine oil.  
3/6 per tin.

## RADIATOR INHIBITOR

Prevents all rust and corrosion in your car's cooling system. Acts effectively on non-ferrous as well as ferrous metals. Radiator Inhibitor keeps the entire cooling system clean, rust-proof and corrosion proof. One treatment lasts a whole season. Operates in anti-freeze.  
2/6 per tin.

## RADFLUSH

Clears choked cooling systems. Choking scale and lime deposits flushed clear at once. Protects entire cooling system, safeguards all metals including aluminium. Completely harmless.

Complete treatment.  
8/6

## FOGOFF

Demisting Preparation 2/6

## FOR HOLTS' POLISHES AND CLEANERS

### WONDAR CHROME

WONDARWAX  
SEE PAGE 22

WONDARFOAM  
SEE PAGE 23

## WONDAR-WELD

Holt's Wondar Weld is a 30-minute repair method for both internal and external cracks in cylinders, valve ports, and water jackets. No dismantling. No laying-up. Simply pour it in and the result is a permanent repair that withstands vibration, heat and water pressure. Effective on cast iron, steel and aluminium.

$\frac{1}{2}$ -pint .. 8/6  
1-pint .. 15/-  
1-qt. .. 25/-

Use one pint in every three gallons of total water capacity.

## LOY PLASTIC METAL

Permanently repairs all dented, holed or rusted metals. Applied like putty, sets metal hard, 4/6  
Solvent 2/6

## AQUATECT

H.T. Lead Proofing:  
Small .. 4/6  
Large .. 8/6

## COMPRESSION PRIMER

Engine Conditioner.  
2/6 3/6

## LOY PLASTIC METAL SHEETING

to reinforce weak "rusted out" areas.  
12" x 6" 3/6  
42" x 6" 9/-






# CAR FITTINGS



## DIRECTION INDICATORS



Trico standard type, exterior, black finish, 6 or 12 volts. Complete with all fittings but without switch .. .. . **52/6** pair.

Switch for above .. .. . **4/-**

Tex concealed narrow type, 6 or 12 volts, fitted with bulbs. Without switch .. .. . **47/-** pair.

## INDICATOR SWITCHES



Trico panel mounting .. .. . **4/-**


Trico one hole fixing .. .. . **5/-**

Trico illuminated, one hole fixing with translucent knob. 6 or 12 volts .. .. . **12/6**

Trico time switch, ten second operation **39/6**

## SWITCH PLATFORM

Switches are brought conveniently to hand by this new steering column platform, which can accommodate up to three switches. Price without switch **3/6**



## HUB DISCS

### CHROME PLATED



8½ in. diameter for most Austin and Hillman types **7/9**

10 in. diameter for Standard 12 and 14 h.p. 1939/48, also Jowett Javelin 1949 .. .. . **9/6**

5¼ in. diameter for Morris 8 1935/36, centre Bolt fitting **6/-**

8½ in. diameter for Morris 8 1937/38, centre Bolt fitting **8/6**

7½ in. diameter for Morris 10 1934/35, centre Bolt fitting **7/9**

## WINDSCREEN WIPERS AND TANDEM ASSEMBLY



Lucas ebony black, universal replacements with single arm. 6 or 12 volts .. .. . **82/6** each

Trico universal wiper set, vacuum operated, 8 in. blade and adjustable arm 5½ to 7½ in. .. .. . **39/6** each

### WINDSCREEN WIPER TANDEM ASSEMBLY

Chrome plated .. .. . **12/6**

## WIDTH INDICATORS



Desmo rigid type, narrow or wide. Chrome plated **14/-** each.

Desmo hinged type, narrow or wide, telescopic. Chrome plated **15/6**

## WIPER BLADES



Trico. Eye pattern. Popular type. Chrome plated. Suitable for Austin, Morris, Standard, etc. **3/3** each.

## FIRE EXTINGUISHERS

Masterpiece for small cars, enamelled finish. Fitted with bracket .. .. . **27/6**

A.C.C. refill .. .. . pint **5/3**



## NUMBER PLATES



Heavy gauge steel, black enamelled, beaded edges. 20½" x 5" **2/-** each. 11" x 9½" **2/-** each

Embossed aluminium, front or rear

**11/6** each or **22/6** pair

Steel plates with "Gothic" digits.. **37/6** pair

Car plates of extra length, **1/3** per plate extra

Bluemels with "Pyramid" plastic digits **53/4** pair

Single oblong or square plate .. **26/8** each

Bluemels "Pyramid" plastic digits **2/11** each



### LEARNER PLATES


Regulation size, celluloid, tie-on .. **2/3** pair

Regulation size, metal, tie-on .. **1/9** pair



# CAR FITTINGS

## CAR SEAT COVERS (Loose Pattern)



### AUTOCORD

Special quality. Hardwearing. Colours: brown, green, fawn, grey, maroon, navy blue.  
Front, small .. 20/- per seat. Rear, small 40/- per seat. Front, large 24/- per seat  
Rear, large 44/- per seat

Specials supplied at short notice. Orders must state make of car, h.p., and year.

### SIZE CHART


Make	Year	H.P.	Sizes recommended	
			Front seats	Rear seats
Austin	1940-8	8	F/Large	Small
Austin	1940-9	10	F/Large	Large
Austin	1952	8	F/Small	Small
Ford	1936-52	8	F/Small	Small
Ford	1950-2 Anglia	10	F/Small	Small
Ford	1938-52 Prefect	10	F/Large	Large
Hillman	1936-48	10	F/Large	Large
Hillman	1949-52 Coupe	10	F/Large	Large
Jowett	1938-47	7 and 10	F/Large	Large
Morris	1939-46	8	F/Small	Small
Morris	1939-48	10	F/Large	Large
Morris	1947-8	8	F/Large	Small
Morris	1949	8	F/Small	Small
Morris	1950-2	8	F/Large	Large
Singer	1936-7	9 and 10	F/Large	Small
Singer	1938	10	F/Large	Large
Singer	1949	9	F/Small	Small
Singer	1950-2	12	F/Large	Small
Singer	1936-8	9	F/Large	Large
Standard	1937-46	9	F/Large	Small
Standard	1937-46	10	F/Large	Large
Standard	1937-46	12	F/Large	Large
Standard	1939-46	8	F/Small	Small
Standard	1946 late models	8	F/Large	Small
Standard	1947-8	8	F/Large	Small
Vauxhall	1936-8	12	F/Large	Large
Vauxhall	1938-46	10	F/Large	Large

## ASHTRAYS



Bakelite 3½ × 1½ in., maroon and walnut, chrome plated, grid screw fitting .. 4/4  
W.B. bakelite 3½ × 1½ in., chrome plated, grid screw fitting .. 6/11  
Bakelite suction fitting .. 11d.  
Stadium bakelite, assorted colours .. 1/6  
Desmo bakelite, moulded, walnut .. 3/5

## BABY CHAIRS



Brexton Eversafe. Hooks on to the back of front seat. Folds flat when not in use. Upholstered in dark blue, light blue, brown, red, grey, and green 45/-



Trays for above 12/6

## PICNIC TRAYS


Brexton picnic tray for fixing to car seat backs. Folds flat against seat back. Covered in blue, brown or green rexine. Chrome-plated fittings 25/1

## ROPE PULLS


Silk braided, 11 in. overall. Available in navy blue, nigger-brown, fawn, green, grey and maroon. Single ended 11/6 pair  
Overall length 12 in. Double ended 12/- pair  
Special sizes 15/- pair



## ROOF NETS



30 × 10 in. with hooks, beige only .. 8/6  
42 × 12 in. with hooks 9/6



## VISORS

Anti-dazzle shields. Non-flam for attaching to windscreens. Green or amber. Suction fitting .. 1/9

Desmo opaque. Grey, brown, fawn 15/6

Desmo Vista-Visor. Latest model 21/-



# CAR FITTINGS

## SPARKING PLUGS



Lodge, Standard, Long Reach, and Sports types, **5/6**



K.L.G. Standard, Long Reach, and Sports types, **5/-**



Champion Standard, Short Reach and Long Reach types, **5/-**



### ADAPTORS

14 mm. plug × 18 mm. cylinder	<b>1/-</b>
Dexter anti-knock, 14 × 14 mm. or 14 mm. plug × 18 mm. cylinder	<b>1/9</b>
18 × 18 mm. or 18 mm. plug × 14 mm. cylinder	<b>2/-</b>

### PLUG CLEANERS

Masterpiece, works off footpump	<b>16/6</b>
Spare tin of cleaning compound	<b>2/-</b>



## IGNITION CABLES

5 mm. rubber-covered ignition or lighting cable	<b>8½d.</b>
7 mm. rubber-covered ignition cable	<b>1/0½</b>
7 mm. lacquered ignition cable	<b>1/10</b>
6 volt heavy braided starter cable 61/20	<b>9/11</b>
12 volt heavy braided starter cable 37/20	<b>6/1</b>

## SPARKING PLUG SUNDRIES



### PLUG COVERS—WATERPROOF

Lodge	<b>1/6</b>
Champion	<b>1/6</b>
K.L.G.	<b>2/-</b>
K.L.G. watertight replacement cap	<b>2/6</b>

### PLUG TERMINALS

Brass 7 mm.	<b>2d.</b>
Milled nuts for Lodge	<b>3d.</b>
Spring clips for K.L.G.	<b>1½d.</b>

### PLUG TESTERS

Neo pocket type with clip	<b>3/9</b>
Wendor bakelite tester and screwdriver, with pocket clip	<b>7/6</b>

## RADIATOR HOSE



Reinforced, Stocked in 3 ft. lengths.

Inside dia.	<b>¾ in.</b>	<b>1 in.</b>	<b>1¼ in.</b>	<b>1½ in.</b>	<b>1¾ in.</b>	<b>2 in.</b>	<b>2¼ in.</b>	<b>2½ in.</b>
Per foot	<b>3/-</b>	<b>3/1</b>	<b>3/3</b>	<b>3/7</b>	<b>4/3</b>	<b>4/6</b>	<b>4/10</b>	<b>5/4</b>

## TOP HOSE CONNECTIONS—SHAPED



Austin from	<b>6/-</b>
Ford	<b>5/6</b>
Hillman Minx	<b>7/6</b>
Morris 8 h.p. from	<b>3/6</b>
Morris 10 h.p. Series M	<b>5/-</b>
Standard from	<b>4/6</b>
Vauxhall 10 h.p.	<b>5/6</b>



## HOSE CLIPS




### Terry's Security

Size 00	<b>¾ in.</b>	<b>11d.</b>	Size 0	<b>¾ in.</b>	<b>11d.</b>
Size 1	<b>1½ in.</b>	<b>1/-</b>	Size 2	<b>2½ in.</b>	<b>1/0½d.</b>
Size 3	<b>2¾ in.</b>	<b>1/4½d.</b>	Size 4	<b>3½ in.</b>	<b>1/7½d.</b>

## GASKETS

### Payen Gaskets for Cylinder Head:

Austin 7,	1922/39	<b>5/6</b>
Ford 8,	1935/39	<b>5/-</b>
Morris 8,	1935/38	<b>6/4</b>



## IGNITION SPARES

Halfords stock a large selection of genuine LUCAS spare parts.

IGNITION COILS. DISTRIBUTOR COVERS.  
CONDENSERS. ROTOR ARMS. CONTACT SETS.  
DYNAMO AND STARTER BRUSHES.

Any Lucas parts can be supplied to order at short notice.



# CAR LAMPS

## ROAD OR SPOT LAMPS



Raydyot 6 in. diameter prismatic convex glass 6 or 12 volts. Complete with switch, flex and bracket, chrome finish .. .. **50/-**



Desmo Reglife. New model, 5 in. diameter, all chrome finish, brass body, complete with bulb, bracket and switch, 6 or 12 volts. **50/-**



## FOG LAMPS

Lucas all chrome plated, diameter 5 in., fitted with Lucas pre-focus bulb, complete with bracket **62/6**

## NOTEK LAMPS

Fogmaster .. ..	<b>128/-</b>	Speedmaster .. ..	<b>108/-</b>
Drivemaster .. ..	<b>128/-</b>	Passmaster .. ..	<b>108/-</b>
Roadmaster .. ..	<b>108/-</b>		

All Notek lamps supplied complete with cable, switch and bracket.

## WING LAMPS



L.E.P. unbreakable lens, all black bakelite body, less bulb .. .. **7/-**

L.E.P. unbreakable lens, all chrome, less bulb .. .. **8/6**

Raydyot streamline model, all black finish with bulb, 6 or 12 volts **10/2**

Raydyot torpedo shape, all black finish, less bulb **11/2**

Raydyot 2½ in. diameter streamlined foot, black and chrome, less bulb .. .. **12/6**



## MOTOR CAR AMMETERS

Flush type 1½ in., **10/3** Flush type 2 in., **11/9**

Lucas panel fitting, **8/9**

Capacity testers, 6 or 12 volt, **30/-**



## TAIL LAMPS



Raydyot all black finish. Tubular, flange fitting, less bulb, **7/6**



Raydyot all black finish. Tubular, tongue fitting, less bulb, **7/6**



Raydyot all black finish. Tubular, direct fitting, less bulb, **7/6**

All black finish. Tubular, flange fitting, less bulb, **5/9** Chrome finish, **6/6**

## STOP-TAIL LAMPS



Raydyot ebony black 4 in. diameter, with bulbs, 6 or 12 volts, **21/-**



Raydyot all chrome finish, "D" shape, with bulbs, 6 or 12 volts. **25/6**



Raydyot twin rear mounted on rubber base. With bulb, 6 or 12 volts, **30/-** pair.

## ROOF LAMPS



Raydyot surface fitting, 3½ in. diameter, self-contained switch, less bulb, **9/-**



Desmo oblong, 4½ × 2½ in., less bulb **10/6**



Raydyot oval, 5½ × 3 in., all chrome, less bulb, **12/-**

## REVERSING LAMPS

Desmo chromium plated, 6 or 12 volts .. .. **23/6**

## HAND INSPECTION LAMPS

*Car Battery Operated.*



Briticent baby gripper, P.V.C. lead with two crocodile clips, less bulb .. .. **12/-**

Butlers with winding handle for re-coiling cable .. .. **16/10**



# CAR BULBS

Special low price offer

## SINGLE OR DOUBLE CONTACT

6 v. 3 w. S.C.C. 18 mm. dia. (.5 amp.) **1/-** 12 v. 6 w. S.C.C. 18 mm. dia. (.5 amp.) **1/-**

## SINGLE CONTACT HEAD LAMP

6 v. 36 w. S.C.C. 38 mm. dia. (6 amp.) **2/1** 12 v. 48 w. S.C.C. 38 mm. dia. (4 amp.) **3/1**

## M.C.C. BULBS FOR MINIATURE BAYONET HOLDERS

Used as side, tail and panel lights, etc., on 12 v. 2.2 w. M.C.C. British .. **1/9**  
 post-war cars and motor cycles. 12 v. 6 w. M.C.C. British .. **1/10**  
 6 v. 3 w. M.C.C. British .. **1/9**

## SIDE AND TAIL LAMP BULBS

	Single contact	Double contact
6 v. 3 w. side and tail bulbs, 18 mm. dia. ..	<b>1/7</b>	<b>1/8</b>
12 v. 6 w. side and tail bulbs, 18 mm. dia. ..	<b>1/7</b>	<b>1/8</b>

## S.B.C. TWIN FILAMENT FOR STOP AND TAIL LAMPS

6 v. 18 × 3 w. 25 mm. dia.: bulb ..	<b>4/1</b>
12 v. 24 × 6 w. 25 mm. dia.: bulb ..	<b>4/1</b>
12 v. 18 × 6 w. offset pins 25 mm. dia.: bulb ..	<b>4/5</b>



## TRAFFICATOR BULBS (FESTOON)

6 v. 3 w. ordinary type 7.5 mm. or 6 mm. dia. **2/8**  
 12 v. 3 w. ordinary type 7.5 mm. or 6 mm. dia. **2/8**



## HEADLAMP BULBS

	Single contact	Double contact
6 v. 24 w. 38 mm. dia.: (4 amp.) ..	<b>2/11</b>	<b>3/4</b>
6 v. 36 w. 38 mm. dia.: (6 amp.) ..	<b>3/3</b>	<b>6/5</b>
6 v. 48 w. 38 mm. dia.: (8 amp.) ..	<b>6/5</b>	<b>6/6</b>
12 v. 24 w. 38 mm. dia.: (2 amp.) ..	<b>2/11</b>	<b>3/-</b>
12 v. 36 w. 38 mm. dia.: (3 amp.) ..	<b>2/11</b>	<b>4/8</b>
12 v. 48 w. 38 mm. dia.: (4 amp.) ..	<b>4/8</b>	<b>4/9</b>
12 v. 60 w. 50 mm. dia.: (5 amp.) ..	<b>6/5</b>	<b>6/6</b>

## BRITISH PRE-FOCUS BULBS

12 v. 36 w., single contact, axial filament (3 amp.) .. **4/5**  
 12 v. 42 × 36 w. (L.H. dip) trans. filament (3.5 × 3 amp.) .. **5/10**  
 These bulbs are fitted to the majority of British post-war cars.



## CAR SWITCHES

Metal top with fibre base on/off tumbler switch .. **1/4**

### DIPPING SWITCHES

Trico heavy foot-operated dip switch **7/-**  
 Trico new pattern for Ford, Vauxhall, Bedford, etc. .. **7/6**

### TOGGLE SWITCH

One hole fixing on/off switch with screw terminals .. **2/6**

### PUSH-PULL SWITCH

One hole fixing push-pull switch, black knob .. **3/3**

## DIRECTION INDICATOR SWITCHES

Trico panel mounting .. **4/-**  
 Trico one-hole fixing .. **5/-**  
 Illuminated Trico one-hole fixing with translucent knob, 6 v. or 12 v. **12/6**  
 Time switch Trico ten-second operation .. **39/6**

## STOP AND TAIL LAMP SWITCHES


Metal pattern with fixing plate to replace Lucas car type .. **2/11**  
 Bakelite body with two-hole fixing **5/6**

# FOR COLD WEATHER

## RADIATOR HEATERS

### PARAFFIN — BONNET TYPE

Sirram 8-day **13/6** Desmo Radilamp **17/6**  
 Raydyot 8-day **18/-**



### PARAFFIN — SUMP TYPE



Sirram .. **15/-** Desmo Universal **23/-**  
 Raydyot Dualette **23/8**

### ELECTRIC — TUBULAR TYPE

230/250 v. 80 w. AC/DC. Current consumption 12 hours per unit **29/11**

Sump model. Consumption 7 hours per unit .. **48/5**



## DEFROSTERS

(Windscreen)

Desmo bakelite, bar type, suction fitting, 6 or 12 v. .. **17/6**  
 Airflow bakelite, bar type, suction fitting, 6 or 12 v. .. **21/-**  
 Lucas M/WH2 latest type, all metal, chrome finish .. **30/-**  
 Berkshire panel type, safety glass, 16½ × 8½ in., four heating elements, suction pad fitting, 6 or 12 v. .. **42/-**

## CAR HEATERS

Masterpiece interior car heaters **39/6** and **47/6**  
 K.L. Monitor 6 or 12 volt **199/6**  
 Tudor 6 or 12 volt **118/6**

## "MINIMUFFS"

Radiator Minimuffs stocked Full details at every Halford branch.



Bluecol .. per ½-gallon per gallon **31/-** **59/6**  
 Syncol .. per quart **15/6**





# CLEANERS AND POLISHES

## LIQUID CAR CLEANERS AND POLISHES



Simoniz bodyglaze.  
5/- and 7/-  
Simoniz liquid cleaner  
5/-



Autobrite Silicone 5/-  
Carhome .. 2/6



Carplate polish 5/-  
Carnu cleaner 3/-  
I.C.I. 16 oz. 3/3



## WAX CAR CLEANERS AND POLISHES

Simoniz polish .. .. 5/-  
Simoniz cleaner .. .. 5/-  
Holts' Wonderwax .. .. 2/6  
I.C.I. polish .. .. 5/-

## METAL POLISHES



### PASTE TYPE

Buffit for stainless steel and chromium, in domed  
dispensers .. .. 2/-

### LIQUID TYPE

Simoniz chromium polish .. .. 2/6  
Wondarchrome chrome cleaner .. .. 2/-  
Silvo, Brasso, as available.

### WADDING TYPE

Duraglit for Brass .. .. 11½d.  
Duraglit silver polish (excellent for chromium) .. 1¼d.

## HOOD DRESSING

Nuagane for canvas, twill and mohair, in black, maroon, blue, grey, khaki,  
beige, green, dark brown, and clear .. .. 5/6 and 10/-  
Slipco for leather hoods only .. .. 3/6 and 5/-  
Newhood for twill and canvas only. Black, navy-blue and khaki .. 4/3

## RUST PREVENTER

(Cold Galvanizing). Articles may  
be dipped, brushed or sprayed.

Rustanode .. 3/6 6/-  
Rustanode thinners 4/- 6/-  
Tekall .. .. 3/6

## TAR REMOVER

Will not injure cellulose, leather  
fabric, upholstery or chromium  
plating.

Tarlana .. .. 2/8 4/4  
Jove .. .. 2/3 3/6

## RUST REMOVER

Apply freely over the rusted parts with brush or cloth. Leave for a few  
minutes, then rub vigorously with a dry cloth until all the rust is removed.  
No rinsing is necessary. Surface can be painted over immediately it is  
completely dry.

Derox, 2/3

Jenolite, 1/10, 3/9

## UPHOLSTERY AND CLOTH CLEANERS

Oil, grease, tar and other stains can quickly be removed by the prompt use  
of these cleaners. Can be applied to woollens, heavy fabrics, leather and  
imitation leather, chromium plating, etc.

Beaucaire dry cleaner, bottle 1/6  
A.C.C. dry cleaner 1/-, 2/-  
Valay upholstery cleaner  
2/6, 4/9, 8/9

Jove dry cleaner .. 2/-, 3/-  
Wondar Foam upholstery cleaner  
2/6, 4/6

## WINDOW AND WINDSCREEN CLEANER

Windowlene, as available.

Demisting preparation.

Jove .. .. 2/6

Fogoff .. .. 2/6

## DEGREASING SOLUTION

Non-caustic, non-corrosive. Removes mineral oil grease and grime  
instantly from all metals, engines, motor bodies, cement, and stone  
floors, etc.

Gunk 2/4, 4/-, 10/8

Note: For degreasing a surface to be painted, Beaucaire, Jove, and A.C.C.  
dry cleaners are excellent.



# PAINT SPRAYERS



## ELECTRIX


Electrix gun only as shown, complete with jar .. **23/-**

Electrix spray plant complete, consisting of mains-operated blower, 5 ft. flexible hose, spray gun and jar .. .. **£9 7 0**




## BYLOCK

Bylock electric spray unit complete with mains-operated blower, flex, hose, gun, and jar. **£9 7 6**



Bylock Mk. IV gun with gravity feed, trigger operated. **£4 15 0**



## BURGESS

Burgess. A low-priced electric sprayer, one complete unit; no compressor, motor or hose needed, for A.C. mains only .. .. **£3 15 0**



## CRYSTAL

Crystal. Trigger-operated gun with jar. Fully adjustable feed. For use with any good vacuum cleaner or either of the blower units shown above .. .. **£3 5 0**

# SPRAYING LACQUERS

## SYNTHETIC

Synthetic. An extremely hard fast-drying finish requiring no primer or undercoat.

Raphaelite, black, white, red, blue, green, cream, maroon,  $\frac{1}{2}$ -pint **4/6**  
Thinners for above, genuine white spirit, 8 oz. bottle .. .. **1/-**

## CELLULOSE

Still the most popular finish for complete renovation or touching up. Halford's specialize in and recommend "Cerric" Cellulose finish.

Cerric cellulose black .. ..	$\frac{1}{2}$ -pint	<b>5/5</b>	1-pint	<b>9/-</b>
Cerric cellulose undercoat				
(only for reds and maroons) ..	$\frac{1}{2}$ -pint	<b>4/11</b>	1-pint	<b>8/2</b>
Cerric cellulose reds and maroons	$\frac{1}{2}$ -pint	<b>5/5</b>	1-pint	<b>9/-</b>
Cerric cellulose colours .. ..	$\frac{1}{2}$ -pint	<b>5/5</b>	1-pint	<b>8/10</b>
Cerric cellulose stopper .. ..			per lb.	<b>3/4</b>
Cerric cellulose filler surfacer ..	$\frac{1}{2}$ -pint	<b>4/11</b>	1-pint	<b>8/2</b>

**Note:** Before the surface is sprayed with Cellulose it should be treated with primer and filler. Ask for free booklet "Cerric Car Finishes".

Synthetic pre-treatments for cellulose finishing.

Cerrux synthetic primer .. ..	$\frac{1}{2}$ -pint	<b>4/7</b>	1-pint	<b>7/8</b>
Cerrux synthetic thinners .. ..	$\frac{1}{2}$ -pint	<b>2/11</b>	1-pint	<b>4/4</b>
Cerrux synthetic filler .. ..	$\frac{1}{2}$ -pint	<b>4/5</b>	1-pint	<b>6/10</b>
Cerrux synthetic stopper .. ..			per lb.	<b>2/10</b>

## SPARES FOR PAINT SPRAYERS

A full range of spares for

Electrix, Bylock, Burgess and Crystal Sprayers

is obtainable from

**EVERY HALFORD BRANCH**



# BRUSHING LACQUERS

## HINTS ON ENAMELLING

1. If the old enamel is in good condition synthetic finishes can be applied directly to the surface after first cleaning and degreasing. If the old surface is in bad condition it is more satisfactory to strip it off completely down to the bare metal.
2. Clean off all traces of the stripper with white spirit and immediately before enamelling degrease with carbon tetrachloride. (Beaucaire or A.C.C.)
3. Use a clean brush free from grease. Suspend all brushes (new ones as well) in a tin of thinners, white spirit or cellulose according to the finishing material to be used.
4. Dry the brush by briskly rolling the handle between the palms of the hands.
5. Cellulose must be applied quickly with a full brush and if you have had some experience in brush work Belco will be your choice. It is dust-free in a matter of minutes.
6. Synthetic finish needs no primer or undercoat and stays open long enough to be brushed out to a smooth run-free coat.

## BRUSHING SYNTHETIC LACQUER



### RAPHAELITE.

In black, white and six colours.  $\frac{1}{2}$ -pints .. 4/6

Note. Apply two or three thin coats with a clean brush, either to bare metal or over previous finish. These materials do not need any Primer or Undercoat. See that the surface is clean and free from grease before application.

### ROBBIALAC.

In black, white and fourteen colours.

$\frac{1}{8}$ -pints .. 1/6  $\frac{1}{4}$ -pints .. 2/6

$\frac{1}{2}$ -pints .. 4/3



**THINNERS** for both the above:  
Humbrol white spirit in 8 oz. bottles .. 1/-



## BRUSHING CELLULOSE

**BELCO** in black, white, clear and twenty-three colours.

$\frac{1}{4}$ -pints .. 2/11,  $\frac{1}{2}$ -pints .. 5/-

Also  $\frac{1}{4}$ -pint "Brush-in-lid" tins in black only at 3/6

**Belco Primer** ..  $\frac{1}{4}$ -pints 2/6 ..  $\frac{1}{2}$ -pints 4/3

**Belco Undercoat** ..  $\frac{1}{4}$ -pints 2/6 ..  $\frac{1}{2}$ -pints 4/3

**Belco Thinners** .. .. ..  $\frac{1}{2}$ -pints 3/-

**Belco Stopper** .. .. .. 1lb. 4/-

Note. Use primer over bare metal, undercoat over primer or over previously painted surfaces and apply the finish. Two or three coats can be given if desired, but see that each coat is dry before the next one is applied.


# ENAMELLING EQUIPMENT

## HIGH GLOSS ENAMEL

	1 oz.	2 1/2 oz.	1-pt.	1/2-pt.
Slipco black ..	1/-	1/9	2/9	4/9
Slipco white, blue, green, and cream	1/-	1/9	3/-	5/-
Slipco red and maroon ..	1/-	2/-	3/6	6/9
TRANSFER VARNISH ..	..	..	bottles	10d.



## BRUSHES



Halford flat varnishing brushes are made from the finest quality China bristles. Each brush is rubber set and at the price are undoubtedly the finest value obtainable.

### Halford "Supreme"

$\frac{1}{2}$ in. ..	1/7	$\frac{3}{4}$ ins. ..	1/9
1 in. ..	2/6	1 1/8 ins. ..	4/6

### For Cellulose, Squirrel Hair

$\frac{1}{2}$ in. ..	1/11	1 in. ..	2/9
----------------------	------	----------	-----

### Art Lining Brushes

No. 1 ..	7 1/2d.	No. 3 ..	10 1/2d.
----------	---------	----------	----------

### Mops

Small ..	1/10	Large ..	2/6
----------	------	----------	-----

## EMERY CLOTH

White Back, grades F and 1 1/2 5 1/2d. sheet. Grade 2 7d. sheet.

Best Blue Twill. (Extra heavy).

Grade F 10 1/2d. sheet. Grade 1 1/2 10 1/2d. sheet. Grade 2 1/- sheet.

## GLASSPAPER

Grades 00, 0, 1 and 1 1/2 1 1/2d. Grade 2 2d. sheet. Grade 2 1/2 2 1/2d. sheet.

## WET AND DRY PAPER

Fine 400, Medium 240 and Grade 280 All at 5 1/2d. sheet.

## RUST TREATMENTS

Jenolite Rust Remover and Preventer 1/10 and 3/9





# ENGINE OILS



## CASTROL

(Wakefield Oil)

Grades	Pts.	Qts.	Galls.	5-galls.	10-galls.
Castrolite SAE.20	2/-	3/7	12/10	55/10	110/-
XL SAE.30	2/-	3/7	12/10	55/10	110/-
XXL SAE.40	2/-	3/7	12/10	55/10	110/-
Grand Prix SAE.50	2/-	3/7	12/10	55/10	110/-
R. Racing	—	6/7	24/6	116/8	230/10



## MOBIL OIL

(Vacuum Oil)

Grades	Pts.	Qts.	Galls.	5-galls.	10-galls.
Artic SAE.20	1/10½	3/3½	12/3	54/2	105/10
A. SAE.30	1/10½	3/3½	12/3	54/2	105/10
BB. SAE.50	1/10½	3/3½	12/3	54/2	105/10
D. SAE.50	1/11½	3/5	12/9	56/8	110/10



## DUCKHAMS

Grades	Pts.	Qts.	Galls.	5-galls.	10-galls.
NOL. SAE.20	..	3/6	12/6	55/-	110/-
SAE.30	..	3/6	12/6	55/-	110/-
SAE.40	..	3/6	12/6	55/-	110/-
SAE.50	..	3/6	12/6	55/-	110/-
SAE.60	..	3/6	12/6	55/-	110/-
Q.5500 (as advertised)	..	—	17/10	—	—



## SHELL (X100 OIL)

Grades	Pts.	Qts.	Galls.	5-galls.
SAE.20	1/11	3/6	12/10	58/9
SAE.30	1/11	3/6	12/10	58/9
SAE.40	1/11	3/6	12/10	58/9
SAE.50	1/11	3/6	12/10	58/9



## ENERGOL

(Price's Oil)

Grades	Pts.	Qts.	Galls.	5-galls.
SAE.20	..	..	12/4	56/3
SAE.30	..	..	12/4	56/3
SAE.40	..	..	12/4	56/3
SAE.50	..	..	12/4	56/3



## RENSHAW

Grades Heavy and Medium/Heavy, in 5-gal. "Robbicans" .. 45/10

## SILVER KNIGHT

Grades Heavy (50) and Medium/Heavy (40), in 5-gal drums .. 33/8



## CASTROL GEAR OIL

Grades	Pts.	Qts.	Galls.	5-galls.	10-galls.
D. SAE.140	..	3/7	12/10	55/10	110/-
ST. SAE.90	..	3/7	12/10	55/10	110/-
Hi-Press. SAE. EP.140	..	3/10½	13/10	62/11	123/4
Hypoy. SAE. EP.90	..	3/10½	13/10	62/11	123/4



## ENERGOL GEAR OIL

Grades	Pts.	Qts.	Galls.	5-galls.
SAE.250	..	—	12/4	56/3
SAE.90	..	3/5	12/4	56/3
SAE.140	..	3/5	12/4	56/3
EP. SAE.90	..	3/9	13/8	62/11
EP. SAE.140	..	3/9	13/8	62/11



## 3-IN-1 OIL

Bottles. 1-oz. 8d, 3-oz. 1/-, 6-oz. 2/-, 8-oz. 2/6.  
Tin with spout, 8-oz. only 2/9.

## OILIT

(A Wakefield Oil)  
4-oz. tin, 1/9



## FLUSHING OIL

"Halford" .. Qts. 3/-

## PENETRATING OIL

K.K.L. "Squeak Chaser" with spout (containing "Dag" Colloidal Graphited), 8-oz. tin .. 2/-

Filtrate, 7½-oz. tin with spout, 1/10





# GREASES

## CASTROL CASTROLEASE

(Wakefield Grease)

	1lb. container	7lb. tin	28lb. keg
CL. (Light), Medium and Heavy	2/4	9/10	33/-
Graphited	2/4	9/10	—

Also Grade Medium only in 1lb. tubes, 3/4.

## CASTROL SPECIALITY GREASES

	1lb. container
Unijoynt. For universal joints	2/4
WB. For ball and roller bearings.	2/4
PH. A white grease for plunger housings	2/4
Brake Cable	2/6
Water Pump	2/4

## MOBIL GREASE

(Vacuum Grease)

	1lb. tube	7lb. tin	10/9
No. 2. For chassis lubrication, 5-gall. drum	3/6	58/9	115/-
	1lb.	7lb.	28lb.
No. 4. For chassis lubrication	2/1	9/1	30/6
No. 5. For universal joints	2/5	9/10	31/9
No. 6. Water Pump	2/5	9/10	34/-
Hub Grease	2/1	9/4	31/9
Graphited Grease	2/5	9/10	31/9

## DUCKHAMS GREASE

In 1lb. containers with extruder discs.

Laminoid Soft	2/5
H.B.B. For wheel hubs, etc.	2/5
H.P.G. For high pressure greasing equipment	2/3
B.23. Medium gun grease	2/3
H.S.G. High melting point	2/5
S.S. Water Pump	2/5
Greases	
Znol KG.16. Nuffield recommendation for general chassis lubrication	3/7
Znol KG.20. White zinc oxide for water pumps	3/7

## C. & T. GREASE

Graphited	14-oz.	1/9
High Melting Point	1-lb.	1/3
Water Pump	1-lb.	2/2
Backing plate and water pump combined. White oxide	1-lb.	3/-

# FOR EASY RUNNING

## SHOCK ABSORBER FLUID

PISTON TYPE

K.K.L. 12 oz.	1/6	quart	4/6	Wakefield Girling	quart	5/1
Mobil		quart	4/3	Armstrong Super	quart	6/-

Mobil piston shock absorber oil is recommended for Luvax-Girling, (Piston type) Vauxhall, Lovejoy, Delco, Monroe shock absorbers and Red Jackall hydraulic jacks.

VANE TYPE

Wakefield			K.K.L.	quart tin	6/-
Luvax-Girling	..	quart	5/1	K.K.L.	12 ozs. 2/-
Mobil					
(for Luvax-Girling)		quart	5/6	For most makes of motor cycle	
Armstrong Special	..	quart	9/-	front forks K.K.L.	12 oz. 1/6

## UPPER CYLINDER LUBRICANTS

Adcoids,	..	box 12..	..	<b>1/6</b>	box 144	..	<b>11/3</b>
Autrosol, ..	..	tube ..	..	<b>6d.</b>	pint ..	..	<b>9/6</b>
Petroylettes (containing Acheson's Colloidal Graphite)	box 12	..					<b>1/10</b>
Petroslip upper cylinder lubricant,	tubes ..			<b>1/-</b>	1/2-pint ..		<b>2/6</b>
		pint		<b>3/11</b>			
Redex, Tin fitted with spout	..	<b>8/6..</b>	..		gallon	..	<b>19/9</b>
Vol-O-Pep	box 12..	<b>1/-</b>	box 65	..	<b>3/6</b>	box 1,000	<b>42/-</b>
K.K.L. Plus	..	..	..	..	..	12 oz.	<b>2/6</b>
K.K.L.Plus	..	..	..	..	..	quart	<b>7/6</b>
Filtrate Petroyle upper cylinder lubricant	..	..	..	..	..	18 oz.	<b>4/-</b>
Filtrate Petroyle Squirts for above	..	..	..	..	..		<b>8/-</b>

## RUNNING-IN COMPOUNDS

(Containing "Dag" Colloidal Graphite)

County ½-pint	..	3/-	pint	..	5/9	K.K.L.	..	10 oz.	3/-
Filtrate ½-pint	..	3/4	pint	..	6/3	quart	..	11/6	

## RADIATOR CLEANSER

Radflush	8/6
Fre-Flo	4/6

## CARBON REMOVER

Pep..	1/9 and 3/6
Decoke Jelly	tube 1/-



# IN THE

# GARAGE

## CLEANING BRUSHES

- Wire handle, small pattern .. 9d.  
 Spoke brushes, mixed bristles, 15 in. over-  
 all .. 2/3  
 Spiral taper, 18 in. .. 3/6  
 Flexy brushes, fibre bristles with an attachment for hose .. 39/6  
 Wire brushes for cleaning plugs, terminals, etc., from .. 6d.  
 Scratch or brazing brushes .. 2/3



## FUNNELS



- For paraffin  
 3½ in. dome type, tinned steel, anti-splash, fine mesh gauze  
 for filling heaters, etc. .. 9d.  
 For petrol  
 6½ in. diameter with gauze .. 2/-  
 Large oblong garage type with push-in gauze filter .. 6/-

## CELASTOID

- Clear, non-flam., in sheets  
 56 × 25 in. .. 20/6  
 20/1000 in. thick .. 31/-  
 30/1000 in. thick .. 42/6  
 40/1000 in. thick .. 42/6

## POURERS

- For distilled water. Supplied  
 in plastic material. Fits  
 any ordinary bottle .. 2/9  
 Lucas glass bottle and non-  
 drip pourer. .. 3/-  
 For motor cycles .. 4/-  
 For cars .. 4/-



## GREASE GUNS

- Motor Cycle Pattern  
 Brass Push down .. 4/3  
 Enots .. 11/3  
 Car Pattern  
 Enots small car, 6½ in. .. 12/6  
 Enots Autolub, 9½ in. .. 13/9  
 Tecalemit Pom-Pom B .. 23/11

## TYRE REPAIR OUTFITS

- Dunlop car kit No. 3 .. 7/6  
 Dunlop motor cycle kit .. 4/-  
 John Bull motor cycle kit .. 5/6  
 Dunlop patch strip .. 2/6 and 4/-  
 Patching sheets Halford nigger  
 gum medium, 4 × 3 ins. .. 5½d.  
 12 × 4 in. 1/7 Thick 12 × 4 in. 2/3  
 Dunlop rolls, 84 × 6 in. .. 16/6

## RUBBER SOLUTION


- Dunlop solution in various sizes  
 from small tubes 4d. to 1 pint  
 tin 3/-  
 Halford solution, large tubes 4½d. In flasks 8d.  
 Romac tyre plasters size 3 in. dome  
 round 7½d. 5 × 3½ in. oval 1/-  
 7 × 5 in. oval 1/7

## BENCH VICES



- Minor 2½ in. jaws .. 17/6  
 Woden engineers' type 2½ in.  
 jaws 20/- 2½ in. jaws 21/6  
 GRINDING PASTE. Chemico twin tins, fine and coarse .. 2/-

## VALVE GRINDERS



- Rubber suction pattern, small  
 size ¾ in. .. 2/-  
 Large size 1 in. .. 2/-  
 Tinned steel, with pourer, sprayed  
 green ½-pint 3/8 1-pint 3/11  
 quart 5/3

## PETROL FILLERS

- Flexible pattern to screw on petrol  
 can .. 9/2

## OIL MEASURES

- Tinned steel, with pourer, sprayed  
 green ½-pint 3/8 1-pint 3/11  
 quart 5/3

## OIL SYRINGES

- Brass with 1 spout .. 5/3  
 Brass with 3 interchangeable  
 spouts .. 8/3

## OIL DRUM TAPS

- Super "full flow" with locking  
 attachment .. 4/6  
 Brass lever type .. 6/-

## JOINTING MATERIAL

- Hallite jointing material.  
 3 sheets assorted thicknesses .. 2/6  
 5 sheets assorted thicknesses .. 4/-  
 Cork insertion .. 6/3 and 7/9 sheet

## STEEL WOOL


- Medium grade, approx. ½ lb.  
 rolls .. 1/6  
 Fine grade, per carton 6d.

## CEMENTS


- Dunlop G.P. adhesive 3/6 tube  
 Bostik sealing compound No. 692  
 3/6 tube  
 Bostik compound No. 1651 3/- tin  
 Hallite rubber cement, non-flam.,  
 white .. 1/6 tin  
 Dunlop upholstery solution.  
 1-pint 3/3 quart 6/-

## BATTERY CHARGERS

- Type A03. Heaybeard. Charges 2 to 12 volt at  
 1 amp. .. £4 17 6  
 Type A05. Heaybeard. Charges 2 to 12 volts at  
 2 amp. .. £6 5 0  
 Type DB6/12. Clarkes. Charges 6 or 12 volts at  
 ½ amp. .. £2 15 0  
 Type G.1. Clarkes. Charges 2, 6 or 12 volt at 1 amp. .. £5 5 0  
 Type G.2. Clarkes. Charges 2, 6 or 12 volt at 2 amp. .. £6 5 0  
 G.E.C. Charges 2, 4, 6 or 12 volt at 3 amp. (as illustrated) .. £7 2 0  
 Davenset. Charges 6 or 12 volt at 2½ amp. .. £5 17 6







# TOOLS

## TUBULAR BOX SPANNERS

### DOUBLE ENDED

Renshaw, sizes $\frac{3}{8} \times \frac{1}{2}$ in., $\frac{1}{2} \times \frac{3}{4}$ in., $\frac{3}{4} \times 1$ in., $1 \times 1\frac{1}{2}$ in. square ..	per set	2/8
Apollo, $\frac{1}{2} \times \frac{7}{16} \times 6$ in. $1\frac{1}{9} \times \frac{3}{8} \times \frac{1}{2}$ in. $1\frac{1}{2} \times \frac{1}{2} \times 3$ in. ..		1/6
Apollo, light car set, $\frac{3}{16} \times \frac{1}{2}$ in., $\frac{1}{2} \times \frac{3}{4}$ in., $\frac{3}{4} \times 1$ in., $1 \times 1\frac{1}{2}$ in. ..		1/3
Apollo, to suit Ford cars. Four spanners S.A.E. sizes ..	per set	5/1
Light car set. Four sizes, $\frac{1}{2} \times \frac{3}{4}$ in., $\frac{3}{4} \times 1$ in., $1 \times 1\frac{1}{2}$ in., $1\frac{1}{2} \times 2$ in. ..		7/4
Whitworth ..		10/9
Garage set, six sizes, $7\frac{1}{2}$ in. long in carton ..		16/1
B.A. sizes ..	each	1/-

## DOUBLE-ENDED SPANNERS



Drop forged, standard finish, polished and hardened jaws. All sizes,  $\frac{1}{8} \times \frac{3}{16}$  in.,  $1\frac{1}{3}$  to  $\frac{5}{8} \times \frac{3}{4}$  in. .. 4/3  
 Chrome Vanadium, dull plated with polished jaws,  $\frac{1}{8} \times \frac{3}{16}$  in.  $2\frac{1}{6}$  to  $\frac{5}{8} \times \frac{3}{4}$  in. 4/6  
 Large selection of double-ended spanner sets at prices from .. 12/6 to 39/6

## PLUG SPANNERS




Box type with tommy bar, 14 mm. 18 mm. ..	1/6	Flat type, 14 mm. or 18 mm. 2/1
Swivel handle type, 14 mm. or ..	3/-	Double-ended box pattern ..

## RING SPANNERS



Double-ended, chrome vanadium, sizes from  $\frac{1}{8} \times \frac{3}{16}$  in. .. 4/6  
 to  $\frac{5}{8} \times \frac{3}{4}$  in. .. 8/-

Many patterns in stock including "long offset" and "cranked" types.



**SOCKET SPANNERS**  
 Popular sets of 6 sizes 6/6  
**FIAT TYPE SPANNERS**  
 Set of 5 double-ended  
 Whitworth sizes 2/9  
**MAGNETO SPANNERS**  
 Terry's .. 1/6  
 Linco combination 1/9  
**TAPPET SPANNERS**  
 For Austin 7 pair 1/9



# TOOLS

## ADJUSTABLE SPANNERS



Billings type, 7 in. ..	4/2
9 in. .. 5/-	11 in. .. 8/3
Genuine Abingdon King Dick adjustable spanner 3 in. ..	6/-

### STILLSON TYPE

Blackbird, 8 in. ..	10/-
10 in. .. 12/7	14 in. .. 16/5
Cee-Tee pattern, 6 in. ..	11/9
8 in. .. 12/8	10 in. .. 15/2



## TURNSCREWS



Plastic handle, pocket size with clip 5d.	Cabinet pattern, 3 in. 1/6, 4 in. 1/9, 6 in. 2/-	Crutch handle, $2\frac{1}{4}$ in. blade 1/3
	8 in. 2/6	



### Ratchet Pattern Turn screws

Silver-steel blade	
$1\frac{1}{2}$ in. ..	3/9
$3\frac{7}{8}$ in. ..	3/9

Midget pattern,  $1\frac{1}{4}$  in. blade 1/4



3-in-1, bakelite case with pocket clip 1/6

Insulated, 4 in. blade 3/-

## PIPE GRIPS




7 in. adjustable ..	4/10
9 in. adjustable ..	7/-

## TOOL BOXES

	Metal	
Small 6/-	Medium 6/9	
Large 7/3		

## SPROCKET REMOVERS


Two leg ..	12/-	Three leg ..	16/6
Three leg, heavy pattern	23/6		





## SPRING LEAF GREASERS

Terry's, small 12/6	large 15/6
---------------------	------------





# TOOLS TOOLS



## FEELER GAUGES


Superior quality and finish. Nine taper blades,  
1½, 2, 3, 4, 6, 8, 10, 12, 15/1,000 .. **2/6**  
With five blades for contact breaker, side valve  
inlet, side valve exhaust, plugs, overhead  
valve tappets .. **2/8½**  
Other patterns from .. **3/-**

## DRILLS

Fleetway Breast .. **26/-**  
Fleetway Hand as shown for  
0-1 in. drills .. **12/6**  
Twist drills 1/16 in. **6d.**, 3/32 in. **7d.**, 1/8 in. **7½d.**,  
5/32 in. **8½d.**, 3/16 in. **10d.**, 7/32 in. **11½d.**,  
1/4 in. **1/2.**



## FILES



Neo Contact flexible **1/3**  
Magneto folding type, 3 in. **2/3**  
4 in. files, 6 assorted on card **6/6**  
Metal-file handles, small **9d.**  
large **1/-**

## HAMMERS



Motorists, Ball Pein, 3-4 lb. **3/6**  
For removing car wheel hub caps,  
lead 3 lb. .. **12/9**

## HACKSAWS



Fuluse polished frame, with blade,  
midget type .. **1/1**  
Eclipse adjustable 8 to 12 in. **5/-**  
**HACKSAW BLADES.** 9 or 10 in.,  
coarse, medium or fine .. **4½d.**  
For midget type **3½d.**

## HUB PULLERS



For Austin Seven cars .. **5/6**  
For most 8 and 10 h.p. cars **31/6**  
Austin 10 cars to 1940 **21/-**

## PLIERS



Combination, 6 in. .. **5/3**  
7 in. .. **5/9**  
Combination insulated, 6 in. **6/9**



Combination insulated 7 in. **7/6**  
Radio 5½ in. with side cutter **5/3**  
Radio insulated .. **6/6**



## TIN SNIPS

Straight 8 in. .. **3/9**  
Straight 10 in. .. **4/6**

## PUNCHES

Centre, spring dotting with pocket  
clip .. **5/-**  
Moorite self centre, automatic **9/2**


## SOLDERING IRONS AND SUNDRIES



### STANDARD IRONS

2 oz. copper bit .. **3/-**  
4 oz. copper bit .. **3/11**  
8 oz. copper bit .. **5/-**

### BLOWLAMPS



Paraffin blowlamp Veritas,  
½-pint **32/-**

### ELECTRIC IRONS



Solon 230/250 volts .. **23/8**  
Bits Electric  
Solon pencil .. **1/2**  
Oval Tapered .. **4/4**  
Bit Adaptors .. **5/-**

### FLUX

Bakers' soldering fluid **1/10**  
Fluxite Paste .. **1/-**

### SOLDER

Tinman's, commercial, approx.  
4 oz. .. **1/7**  
Multicore 3 cores of Ersin  
flux, sizes 2 .. **6d.**  
Strip blowpipe, bundles of 3 **1/6**

## TYRE LEVERS



Motor cycle, spoon type, blued finish  
¾ × 6 in. .. **9d.**  
7/16 × 8½ in. .. **11d.**  
Cranked type, zinc finish, set of 3 **1/11**

Car tyre levers, zinc finish, straight  
6 × ¾ × 3/16 in. .. **8d.**  
9 × 1 × 1/4 in. .. **1/9**

12 × 1¼ × 1/4 in. .. **2/3**  
15 × 1¼ × 5/16 in. .. **2/6**  
18 × 1¼ × 3/16 in. .. **3/-**

## MEASURING TAPES

Conflex 6 ft. in 1/16 in. 2 metres in  
millimetres .. **5/3**

## STEEL RULES

Flexible steel in bakelite case  
3 ft. **2/3** 6 ft. **3/6**  
Steel, 2 ft. two-fold, 1/4 in. to 1 in.  
double sided .. **3/6**

## VALVE LIFTERS



Motor Cycle  
Terry's ratchet type **3/6**

Standard type **6/11**  
Car, from .. **3/6**  
Car, Terry's from **10/6**



# TOOL KITS

In addition to the tools shown on the preceding pages Halfords stock a number of items which should have place in the tool kit of every motorist. It will pay you to check your own kit with this page and make sure that you carry all you may need in case of mechanical trouble when you are away from shops or garages.



## LIFTING JACKS


Standard pattern for light cars .. .. .	14/-
Midas junior .. .. .	14/3
Midas standard 7 in. .. .. .	15/9
Midas double lift .. .. .	18/6

## PUMPS

### FOOT OPERATED

Special model for small cars; well finished and excellent value .. .. .

Halford Senior .. .. .	20/-
Halford Major .. .. .	27/6
Kismet Baby .. .. .	31/6
Kismet Popular .. .. .	45/6
	60/-



## WHEEL BRACES



10" Nuts	4/-
12" Nuts	4/6
14" Nuts	4/6

## TYRE PRESSURE GAUGES



Pocket type. Round barrel. 10-48 lb.	5/9
Halford pocket type. Hexagon body with core extractor. Calibrated to 50 lb.	9/-
Other patterns from .. .. .	7/6 to 15/-

### ASBESTOS TAPE

For wrapping exhaust pipes, etc.  $\frac{1}{2}$  in. thick  $\times$  1 in. wide. .. per yard 1/2

### ASBESTOS CORD

For exhaust pipes, silencers, joints, etc. per yard 1d.

### CARBON BRUSHES AND CARBURETTOR SPARES

Brushes for Lucas and Miller pattern dynamos and spares. For Amal carburettors. Supplied from stock or to order.

### SET PINS AND NUTS (BSF Threads)

Screwed to heads. Full range of sizes from  $\frac{1}{8}$   $\times$  1 in. — 2 1/2 in. — 4d. each. Nuts only can be supplied.

### WASHERS

Copper & asbestos for sparking plugs	1d.
Fibre for carburettors .. box	1/9
Spring washers in boxes of 3 dozen assorted sizes	10d.
Plain steel washers in boxes of one gross assorted	2/6

### WIRE

Copper annealed wire on reels 4 oz. $\times$ 18 and 20 gauge .. .. .	2/-
--	-----

### INSULATION TAPE

$\frac{1}{2}$ in. $\times$ 5 yards .. .. .	6d.
$\frac{1}{2}$ in. $\times$ 10 yards .. .. .	1/-
$\frac{1}{2}$ in. $\times$ 10 yards .. .. .	1/3

# INDEX

Abrasive Paper .. .. .	27	Flux .. .. .	37
Adaptors (plug) .. .. .	16	Fog lamps .. .. .	18
Ammeters .. .. .	5, 18	Foot lever rubbers .. .. .	6
Anti-dazzle shields .. .. .	15	Foot pumps .. .. .	38
Anti-freeze solution .. .. .	21	Footrests .. .. .	7
Asbestos cord and tape .. .. .	38	Footrest rubbers .. .. .	6
Ash trays .. .. .	15	Funnels and fillers .. .. .	32
Baby chairs .. .. .	15	Gaskets .. .. .	17
Bags (pannier) .. .. .	9	Gauges (feeler) .. .. .	36
Batteries and testers .. .. .	5	Glass paper .. .. .	27
Battery chargers .. .. .	33	Gloves (gauntlets) .. .. .	3
Blowlamps .. .. .	37	Goggles .. .. .	3
Braces (wheel) .. .. .	38	Grease .. .. .	30
Brushes .. .. .	27, 32	Grease guns and injectors .. .. .	32
Bulbs (motor cycle) .. .. .	6	Grinders and grinding paste .. .. .	33
Bulbs (car) .. .. .	20	Grips .. .. .	6
Capacity indicators .. .. .	5	Hacksaw frames and blades .. .. .	36
Caps (hub) .. .. .	12	Hammers .. .. .	36
Caps (ski) .. .. .	2	Hand drills .. .. .	36
Carbon brushes .. .. .	38	Handlebar bends .. .. .	6
Carbon remover .. .. .	31	Helmets .. .. .	2
Car heaters .. .. .	21	Horns and switches .. .. .	8
Car number plates .. .. .	13	Hose (radiator) .. .. .	17
Car seat covers .. .. .	14	Hose brushes .. .. .	32
Celastoid (non flam) .. .. .	32	Hose clips and connections .. .. .	17
Cement .. .. .	33	Hub discs .. .. .	12
Chains and chain parts .. .. .	7	Hydrometers .. .. .	5
Cleaning materials .. .. .	22, 23	Ignition cables .. .. .	16
Clothing .. .. .	1, 2	Indicator switches .. .. .	12
Clutch levers .. .. .	6	Inflators .. .. .	38
Coats .. .. .	1, 2	Inner tubes .. .. .	4
Control levers .. .. .	6	Inspection lamps .. .. .	19
Control rubbers .. .. .	6	Insulation tape .. .. .	38
Covers (tyres) .. .. .	4	Jacks .. .. .	38
Crash helmets .. .. .	2	Jackets .. .. .	2
Cylinder head gaskets .. .. .	17	Jointing compound .. .. .	33
Degreasing solution .. .. .	23	Kick-starter rubbers .. .. .	6
Direction indicators .. .. .	12	Lamps .. .. .	5, 18, 19
Drills .. .. .	36	Lamp bulbs .. .. .	6
Driving mirrors .. .. .	8	Lamp switches .. .. .	20
Electric horns .. .. .	8	Learner plates .. .. .	13
Emery cloth .. .. .	27	Leather coats and jackets .. .. .	1, 2
Enamel (various) .. .. .	25, 27	Legshields .. .. .	9
Exhaust levers .. .. .	6	Licence holders .. .. .	8
Eye shades .. .. .	15	Lubricants .. .. .	29, 30, 31
Feeler gauges .. .. .	36	Magdyno cogs .. .. .	9
Files .. .. .	36	Measures .. .. .	37
Fire extinguishers .. .. .	13	Metal polish .. .. .	22
Fishtails .. .. .	10	Measuring tape .. .. .	37





# INDEX

Mirrors .. .. .	8	Sparkling plugs and sundries	7, 16
Mitts .. .. .	3	Spoke brushes .. .. .	32
Nets (roof) .. .. .	15	Sports jackets .. .. .	2
Numbers and number plates	9, 13	Spot lamps .. .. .	18
Oil measures .. .. .	33	Sprayer outfits .. .. .	24
Oils and greases .. 28, 29, 30,	31	Spring greasers .. .. .	35
Overboots .. .. .	3	Sprocket removers .. .. .	35
Pannier bags .. .. .	9	Squirrels (petrol) .. .. .	32
Patches and patching rubber	32	Steel wool .. .. .	33
Petrol pourers .. .. .	33	Stop freeze .. .. .	21
Petrol strainers and squirts	32	Stop lamps .. .. .	19
Petrol taps and unions .. .. .	10	Sump heaters .. .. .	21
Picnic trays .. .. .	15	Switches .. .. .	5, 12, 20
Pillion seats and footrests	7	Switch platform .. .. .	12
Plastic metal .. .. .	11	Tail lamps .. .. .	19
Pliers .. .. .	36	Tape (insulating) .. .. .	38
Plugs (sparking) .. .. .	7, 16	Tape (asbestos) .. .. .	38
Polish .. .. .	22	Tapes (measuring) .. .. .	37
Pressure gauges .. .. .	38	Taps .. .. .	10, 33
Pumps .. .. .	38	Tar remover .. .. .	23
Punches .. .. .	37	Testers (plug) .. .. .	16
Radiator cement and cleaner	11, 31	Terminals and caps .. .. .	16
Radiator hose .. .. .	17	Tinman's solder .. .. .	37
Radiator heaters .. .. .	21	Tools .. 34, 35, 36, 37, 38	9
Radiator mufflers .. .. .	21	Touring bags .. .. .	9
Rear lamps .. .. .	19	Traffic indicators .. .. .	12
Repair outfits .. .. .	32	Transfers and transfer varnish	9
Roof lights .. .. .	19	Tubes (inner) .. .. .	4
Roof nets .. .. .	15	Turnscrews .. .. .	35
Rope pulls .. .. .	15	Twist grips and rubbers .. .. .	6
Rubber boots .. .. .	3	Twist drills .. .. .	36
Rubbers (foot lever) .. .. .	6	Tyre levers .. .. .	37
Rubbers (kick starter) .. .. .	6	Tyres and tubes .. .. .	4
Rubbers (twist grip) .. .. .	6	Upholstery cleaner .. .. .	23
Rules (steel) .. .. .	37	Upper cylinder lubricants	31
Running in compound .. .. .	11	Valve grinders .. .. .	33
Rust preventer and remover	23, 27	Valve spring lifters .. .. .	37
Saddle tops .. .. .	9	Vices .. .. .	33
Screwdrivers .. .. .	35	Visors .. .. .	15
Seat covers (car) .. .. .	14	Washers .. .. .	38
Seats (pillion) .. .. .	7	Waterproof clothing .. 1, 2, 3	38
Set pins and nuts .. .. .	38	Wheel braces .. .. .	38
Shock absorber fluid .. .. .	31	Windscreens .. .. .	10
Silencers and clips .. .. .	10	Windscreen wipers and	
Ski caps .. .. .	2	attachments .. .. .	13
Soldering irons, sundries .. .. .	37	Width indicators .. .. .	13
Solution .. .. .	32	Wire .. .. .	38
Spanners .. .. .	34, 35	Wire brushes .. .. .	32

## BRANCH ADDRESSES AND TELEPHONE NUMBERS

ABERDARE—2 & 3 Commercial St.	157	EASTBOURNE—17 Seaside Rd.	1416
ABERDEEN—39-41 St. Nicholas St.	25068	EAST HAM—403 Barking Rd., London	3273
ABERGAVENNY—12 Cross St.	128	E.6 Grangewood	
ACOCKS GREEN—1136 Warwick Rd.,		EDINBURGH 3—138 Lothian Rd.	3620
Birmingham 27	0869	Fountainbridge	
ALDERSHOT—7 Union St.	126	EDINBURGH 1—111-115 Leith St.	3780
ASHFORD—12 High St.	107	Central	
AYLESBURY—28 High St.	424	EDMONTON—165 & 167 Fore St.	2585
BANBURY—15 High St.	2097	London N.18 Tottenham	
BARNET—123 High St.	3945	ERDINGTON—229 High St., Bir-	2277
BARNLEY—18 Eldon St.	3747	mingham 23	2617
BARNSTAPLE—90-91 Boutport St.	3068	EXETER—31 Sidwell St.	54056
BARROW-IN-FURNESS—72 Duke St.	164	EXETER—3 Alphonso St.	2430
BARRY DOCK—108 Holton Rd.	720	FOLKESTONE—36 Guildhall St.	2842
BATH—5 Stall St.	3604	FROME—13 Market Place	1494
BEDFORD—7 Harpur St.	2924	GLASGOW C1—26 Jamaica St. Central	22878
BEXLEY HEATH—150 The Broadway	2287	GLOUCESTER—45 Northgate St.	96
BIRKENHEAD—151 Grange Rd.	5458	GRANTHAM—6 Watergate	82
BIRMINGHAM 4—50 Bull St. Central	0077	GRAVESEND—4 Windmill St.	2292
BIRMINGHAM 10—218 Coventry Rd.	1582	GRIMSBY—29 Victoria St.	4512
BIRMINGHAM 6—90 Aston Rd.	7488	GUILDFORD—69 High St.	62554
North	141	HALIFAX—1 Market St.	2597
BIRMINGHAM 4—96-8 Corporation	5882	HANLEY—15 Piccadilly, Stoke-on-Trent	5381
St.	240	HARROW—239 Station Rd.	2558
BISHOP AUCLAND—156 Newgate St.	33523	HASTINGS—42 Queen's Rd.	2371
BLACKBURN—13 Town Hall St.	2140	HEREFORD—3 St. Peter St.	2180
BOLTON—40 & 42 Knowsley St.	2140	HERTFORD—27 Fore St.	2122
BOSCOMBE—544 Christchurch Rd.	2721	HIGH WYCOMBE—Priory House,	1029
BOSTON—3 Bridge St.	21951	Castle Street	2913
BOURNEMOUTH—419 Wimborne	23005	HORNCHURCH, Essex—147 High St.	4319
Rd., Winton	2166	HOUNSLOW—192 High St.	289
BRADFORD—47 Godwin St.	24734	HUDDERSFIELD—34 Cross Church St.	33778
BRADFORD—30 Tyrell St.	27226	HULL—50 King Edward St.	33850
BRIDGWATER—11 Eastover ..	23927	HULL—330 Hessle Rd.	16691
BRIDGWATER—11 Eastover ..	63312	HULL—427 Anlaby Rd.	0740
BRIGHTON 1—34-5 Western Rd.	47488	ILFORD—7 Cranbrook Rd.	3373
BRIGHTON 1—45 London Rd.	4402	IPSWICH—41 Westgate St.	2370
BRISTOL 1—15-16 Narrow Wine St.	4125	KETTERING—59 High St.	2132
BRISTOL 3—30 Cannon St.	2551	KIDDERMINSTER—19 Vicar St.	7488
BRISTOL 7—195 Gloucester Rd.	561	KILBURN—173 High Rd., London	1207
BRISTON—6 Acre Lane, London S.W.2	4808	N.W.6	Maida Vale
BROMLEY—108 High St. Ravensbourne	3359	KILMARNOCK—106 King St.	1673
BURTON-ON-TRENT—13 Station St.	25930	KING'S HEATH—129 High St., Bir-	
BURY ST. EDMUNDS—5 Brentgovel St.	27816	mingham, 14	Highbury
CAMBRIDGE—41 Sidney St.	26742	KINGSTON-ON-THAMES—19 Mar-	0851
CANTERBURY—9 St. Peter's St.	1744	ket Place	3217
CARDIFF—87 Queen St.	7087	KIRKCALDY—157-159 High St.	4553
CARDIFF—246 City Rd.	2586	LANCASTER—22 Cheapside	440
CARDIFF—186 Cowbridge Rd.	2309	LEAMINGTON—68 Regent St.	22124
CARLISLE—60 Scotch St.	3602	LEEDS 1—61 Vicar Lane	32305
CARMARTHEN—122 Llamas St.	20952	LEEDS 1—163 Lower Briggate	41806
CHATHAM—101 High St.	2835	LEEDS 8—223 Roundhay Rd.	402
CHELMSFORD—67 High St.	2306	LEEK, Staffs—72 Derby St.	22862
CHELTENHAM—145 High St.	6618	LEICESTER—29 Halford St. Central	65362
CHESTER—15 & 17 Northgate St. Row	4022	LEICESTER—76-78 High St.	2160
CHESTERFIELD—13 Cavendish St.	60541	LEYTONSTONE—48 Church Lane,	368
CHORLEY, Lancs—84 Market St.	2689	London E.11	
CLAPHAM JUNCTION—299 Laven-	2131	LINCOLN—326 High St.	3246
der Hill, London S.W.11	2682	LIVERPOOL 1—60-62 Renshaw St.	1859
Battersea	3715	ROYAL	310
COLCHESTER—19 Head St.	45902	LIVERPOOL 3—27 London Rd North	2860
COVENTRY—27 Trinity St.	322	LLANELLY—18 Cowell St.	541
CREWE—7 Victoria St.	2133	LOUGHBOROUGH—28-29 High St.	4859
CROYDON—40 & 42 London Rd.,	2147	LUTON—134 Dunstable Rd.	2014
West End	1230	MACCLESFIELD—53 Mill St.	1299
DARLINGTON—25 Skinnergate	3517	MAIDENHEAD, Berks—8 Queen St.	2408
DARTFORD—17 Lowfield St.	298	MAIDSTONE—67 Week St.	5992
DERBY—107 & 109 St. Peter's St.	3211	MANCHESTER 2—14 Peter St.	6052
DEVONPORT—48 Marlboro' St.		Blackfriars	
DONCASTER—56 Hall Gate		MANCHESTER 4—24 Corporation St.	
DUDLEY—61B High St.		Blackfriars	
DUMFRIES—109 High St.		MANCHESTER 1—34 Oxford St.	4563
DUNDEE—1A High St.		Central	
DUNFERMLINE—8-10 Bridge St.			
EALING—49 New Broadway London			
W.5			



# BRANCH ADDRESSES and Telephone Numbers—CONTINUED

MANCHESTER 3—192 Deansgate Blackfriars	4154	SHEFFIELD 1—200 The Moor	24366
MANSFIELD—9 Church St.	342	SHREWSBURY—7 Mardol Head	2434
MERTHYR TYDFIL—125 High St.	391	SLOUGH—139 High St.	22808
MIDDLESBROUGH—123 Linthorpe Rd.	2082	SOUTH SHIELDS—83 King St.	575
NEATH—53 Wind St.	7	SOUTHAMPTON—92 Above Bar	76562
NEWARK-ON-TRENT—13 Carter Gate	679	SOUTHAMPTON—56 High St., Shirley	72267
NEWBURY—64 Northbrook St.	285	SOUTHPORT—39 Eastbank St.	3328
NEWCASTLE, Staffs—Red Lion Sq.	66579	SOUTHSEA—35 Albert Rd.	2539
NEWCASTLE-ON-TYNE 1—81 Clay- ton St.	22852	SPALDING—1 & 2 Station St.	2143
NEWCASTLE-ON-TYNE 2—2 Handy- side Bldgs., Percy St.	21629	STAFFORD—31 Gaolgate St.	297
NEWCASTLE-ON-TYNE 1—23 New Bridge St.	21618	STAINES—47 High St.	3305
NEWPORT, Mon—142-3 Commercial St.	3643	STOCKPORT—76 Princes St.	2062
NEWTON ABBOT—24 Queen St.	114	STOCKTON-ON-TEES—16 Dovecot St.	66265
NORTHFIELD—748 Bristol Rd. South, Birmingham 31	2528	STOKE-ON-TRENT—26 Church St.	48414
NORTHAMPTON—40 Abington St.	330	STOURBRIDGE—84 High St.	57087
NORTHWICH—41 Witton St.	2587	STREATHAM—6 Central Parade, 254 High Rd., London S.W.16	7525
NORWICH—6 Brigg St.	24565	STROUD—10 Gloucester St.	571
NORWICH—40 Magdalen St.	26140	SUNDERLAND—217 High St. West	4251
NOTTINGHAM—5 Wheelergate	42985	SUNDERLAND—6 Vine Place	4840
NUNEATON—6 Newdegate St.	2050	SUTTON—188 High St.	Vigilant 0359
OLDHAM—5 George St.	2767	SWANSEA—5 Castle Sq.	55032
OSWESTRY—5 Willow St.	173	SWANSEA—250-1 Oxford St.	2681
OXFORD—18 Queen St.	2184	SWINDON—19 Regent St.	2068
OXFORD—133 Cowley Rd.	3818	TAUNTON—30 North St.	2937
OXFORD—60 High St.	2676	TOOTING—60 High St., London S.W.17	Balham 7796
PECKHAM—70 Rye Lane, London S.E.15	2782	TRURO—10 St. Nicholas St.	3220
PETERBOROUGH—Westgate	2140	TUNBRIDGE WELLS—15 Mount Pleasant Rd.	901
PETERBOROUGH—14 Bridge St.	3944	WAKEFIELD—92 & 94 Kirkgate	2926
PLYMOUTH—191 Union St.	3986	WALSALL—85 Bradford St.	3465
PLYMOUTH 44 Mutley Plain	3937	WALTHAMSTOW—147 Hoe St., London E.17	Larkwood 4388-4389
PONTEFRAC—Corn Market	132	WARRINGTON—118 Bridge St.	605
PONTYPRIDD—6A Taff St.	2498	WATFORD—53 The Parade, High St.	3609
PORT TALBOT—107 Station Rd.	192	WATFORD—253 St. Albans Rd.	4977
PORTSMOUTH—200 Commercial Rd.	5635	WEMBLEY—543 High Rd.	2604
PORTSMOUTH—126 London Rd., North End	73079	WEST BROMWICH—199 High St.	0479
PRESTON—38 Market Place	3965	WEST HARTLEPOOL—21 Lynn St.	2868
READING—13 West St.	3707	WIGAN—8 Standishgate	3314
REDDITCH—37 Evesham St.	677	WIMBLEDON—5 Wimbledon Hill Rd., London S.W.19	1775
RETFORD—9 Cannon Sq.	177	WINCHESTER—165 High St.	3549
ROCHDALE—110 Yorkshire St.	2935	WOLVERHAMPTON—17 Victoria St.	20480
ROMFORD—97 South St.	1895	WOOD GREEN—4 Cheapside, High Rd., London N.22	Bowes Park 1329
ROTHERHAM—18 Bridgegate	3497	WOOLWICH—81 Powis St., London S.E.18	0650
RUGBY—12 High St.	3233	WORCESTER—12 Broad St.	2088
SALISBURY—7 Minister St.	3046	WORKSOP—20 Bridge St.	2185
ST. ALBANS—35 Market Place	1680	WREXHAM—16 Regent St.	2418
SCUNTHORPE—128 High St.	2182	YARMOUTH (Gr.)—21 King St.	2103
SHEFFIELD 1—53 & 55 Fargate Central	25558	YEOVIL—87 Middle St.	145
SHEFFIELD 9—615 & 617 Attercliffe Rd.	41940	YORK—8 Feasegate	2632

Head Office: 239 Corporation Street Birmingham 4 Tel: Aston Cross 2081

THE  
HALFORD  
CYCLE CO., LTD.  
12, BROAD STREET,  
WORCESTER.

7-97 18/11/81

1952 - 285 - 125



# IceniCAM Information Service

