



C50





C50

MODEL: 1982 C50-C

TYPE: Lightweight, Step-thru

COLOURS: Red or Blue

AVAILABLE: February 1982

KEY FEATURES


- New high fuel economy engine.
- Lightweight step-thru design.
- Twin mirrors.
- Comfortable dual seat.
- Fully enclosed chain guard.

SPECIFICATIONS

Engine	Air cooled OHC 4-stroke
Bore and Stroke	39 × 41.4 mm
Compression Ratio	9.5
Carburettor	Piston valve type
Max. Horsepower	4.44 PS/8,000 rpm (DIN)
Max. Torque	0.42 kg-m/6,000 rpm (DIN)
Ignition	Flywheel magneto
Starter	Kick
Transmission	3-speed
Final Drive	Chain, fully enclosed
Length	1,800 mm
Width	660 mm

Height	1,010 mm
Wheelbase	1,175 mm
Seat Height	760 mm
Ground Clearance	130 mm
Fuel Capacity	4 lit incl 0.8 lit res
Tyres: Front	2.25 × 17 4PR tubeless
Rear	2.50 × 17 4PR tubeless
Suspension: Front	Bottom link fork, 68 mm travel
Rear	Swinging arm, 61 mm axle travel
Brakes: Front	Internal expanding shoe
Rear	Internal expanding shoe
Dry Weight	75 kg

IceniCAM Information Service



www.icenicam.org.uk