


HONDA PF50R



HONDA

PF50R



Technical Specification

Engine Unit

Type: Air Cooled, Single Cylinder, 4 Stroke, O.H.V. Cylinder inclined 10° from horizontal
Bore & Stroke: 42 mm × 35.6 mm (1.6535 × 1.4016 ins)
Cylinder Capacity: 49 cc (3.0 cu ins)
Compression Ratio: 8.5-1
Carburettor: Keihin Piston Valve Type
Ignition: Flywheel Magneto
Lighting: Direct. Headlamp 6 Volt 18/18W
Lubrication System: Wet Sump
Oil Capacity: 0.75 litres (1.33 pts)
Starting Method: By Pedals
Spark Plug: N.G.K. Type C7HS
Clutch: Automatic Centrifugal Type
Transmission: Single Speed. Chain Drive to Rear Wheel
Maximum Power: 1.80 P.S. @ 5,700 R.P.M.
Maximum Torque: 0.29 Kg-m @ 3,500 R.P.M. (2.1 lbs ft)
Engine Weight: (Inc. Oil) 12 Kg (26.45 lbs)

Frame

Type: Tubular, Open Frame Type
Front Suspension: Telescopic Fork
Rear Suspension: Swinging Arm Type.
Tyres: Front. 2.00 × 17
 Rear. 2.00 × 17
Tyre Pressures: Front. 1.8 Kg-cm² (26 p.s.i.)
 Rear. 1.9 Kg-cm² (28 p.s.i.)
Brakes: Front. Internal Expanding Cable Operated
 Rear. Internal Expanding Cable Operated
Petrol Tank Capacity: 4.1 pts
Overall Length: 1638 mm (64.50 ins)
Overall Width: 635 mm (25.00 ins)
Overall Height: 1067 mm (42.00 ins)
Wheelbase: 1067 mm (42.00 ins)
Seat Height: ADJUSTABLE 762 mm-840 mm
 (30 ins-33 ins)
Ground Clearance: 127 mm (5 ins)
Curb Weight: 48.5 kg (106.92 lbs)

Standard Equipment


Speedometer, Electric Horn, Spark Plug Spanner and Cross Head Screwdriver.

Honda (UK) Ltd Power Road Chiswick London W4 Telephone 01-995 9381

"These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturers reserve the right to vary their specification with or without notice and at such times and in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult the Dealer with whom your order is

placed for details of the specification of any particular product. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor or Dealer, copies of which may be obtained from him on request."

IceniCAM Information Service



www.icenicam.org.uk