

## IceniCAM Information Service



www.icenicam.org.uk





One things for sure: new Italijet scoop' will not go unoticed!

If you love original and aggressive designs, a powerful engine and flashy colours, Scoop is the ideal solution for your days on the road. It's a 50cc machine, but the bold combination of its shape and volume remind us more of the enduro bikes than the city scooter. The result is the scooter for the new generation, able to give maximum expression on any kind of terrain, safe and reliable even in intense traffic thanks to its excellent road-holding guaranteed by the high wheels and by the wide section tyres.

The high handlebar position and the practical front suspension and hydraulic telescopic fork ensure maximum riding comfort and easy vehicle control. The double circular round headlight built into the front shield allow perfect visibility even in night-riding and make the bike's front even more aggressive and captivating.

Full freedom of movement is ensured even with your feet on the ground as scoop is fitted with a handy helmet trunk, particularly large even to hold those bulky

With Scoop, Italijet has began the 'postscooter' era: sporty, aerodynamic, futuristic. The best way to make . . . big news!

Pack 3, the latest generation of the original Pack 2, kept in New York, remains today a joyful exception in the two-wheel vehicle market. Unique in it's kind, the Pack contains in it's minimal shape a jewel of technology: monocylinder two-stoke engine, belt transmission with variator, kick start. It's dimensions too, declare it's versatility and dynamism: in working order the Pack is a 110 cm long, 64 cm wide 96 cm high. In its folded position its width is

reduced by 50 cm and its height to 58 cm. Excellent dimensions, therefore, for it to be easily stored away on a boat, in a camper, the boot of your car and of course in a garage. Ideal for yachting or on any seaside use, Pack 3 allows you to transform your stopovers on the mainland into adventurous excursions among the harbours, beaches and dunes. Thank to the robust wheel structure it's highly efficient drum brakes and its elastic suspension, Pack moves easily around the ports, harbours and jetties. A plucky means of locomotion which with its seat and handlebars lowered can be stored away into

the smallest spaces of your boat, and will always be ready for the new trips on the next stopover of your journey.





Engine Single Cylinder two stroke

Bore And Stroke 38.2x43 mm Displacement 49.28 cc Compression Ratio 8,7:1

Power CV 1,3 CV at 4600 rpm Carburettor DELL'ORTO SHA 12/10

Starting By pedals

Ignition Flywheel 6V - 18/20W

Transmission By belt pulley and "V" belt (auxilliary

propulsion with chain and pedals)

Frame Tubular stucture

Brakes Front drum type ø 90 mm

Rear drum type ø 136 mm

Front and rear: Tyres

26" x 1.75 x 2

Front Suspension By oscillating connecting road and

helical springs

Length 1830 mm Width 560 mm Height 1070 mm Wheelbase 1150 mm Empty Weight 34 kg Petrol Tank Capacity 2,2 Lt

## pack 3

Engine

Displacement

Power

Caarburettor

Stater

Transmission Suspension Brakes

Tyres

Fuel

Dimensions

Folded

Single cylinder/2 stoke

49.88 cc

As per Highway Code

DELL'ORTO SHA 12/10

Kick-starter

Belt drive with variator Front and rear: elastic Front and rear: high

efficiency drum

Front and rear: 13x5.00.6

2% mixture

Length 110cm Width 50cm

Height 58cm



Engine

Displacement

Power Carburettor

Stater

Transmission Suspension

Brakes Tyres

Fuel Capacity

Single cylinder/2 stoke

49.88 cc

6.8 hp at 7200

Mikuni Mic 14/12

Kick-starter & Electric


Belt drive with variator

Front and rear: elastic

Front disc rear drum

Front 120/90 - 10" Rear 130/90 - 10"

4 litres





Engine Single Cylinder 2-stroke

Displacement 49.93 сс

Carburettor DELL'ORTO SHA 14/12

Starter System Kick-Starter Ignition Electronic Transmission Automatic Clutch Traction On rear wheel

Seat Height

Double drum brakes on front wheel Brakes

Tyres 145/70.6"

Lubrication System Fuel oil 2% mixture

Overall Length 116 cm Overall Width 72 cm Overall Height 73 cm 78 cm Wheelbase Dry Weight 44 kg

2-stroke Engine Displacement 49.93 cc

Carburettor DELL'ORTO SHA 14/12

Kick-Starter Starter System Ignition Electronic

Transmission Automatic Clutch

Front upside sown fork. Rear UNI-CHARGE Suspension system hydraulic mono shock -absorber

Seat Height 56cm

Brakes Front and rear drum Front 2.50.10" Tyres Rear 2.50.10"

Lubrication System Fuel oil 2% mixture

Length Max. 122 cm Width Max. 62 cm Height Max. 75 cm Wheelbase 85 cm Dry Weight 30 kg

Engine 2-stroke Displacement 49.93 cc

Carburettor DELL'ORTO SHA 14/12

Starter System Kick-Starter Ignition Electronic

Transmission Automatic Clutch

Suspension Front upside sown fork. Rear UNI-CHARGE system hydraulic mono shock -absorber

Seat Height 66cm

Brakes Front and rear drum Tyres Front 2.50.15" Rear 30.00.12"

Fuel oil 2% mixture Lubrication System

Length Max. 151 cm Width Max. 64 cm Height Max. 93 cm Wheelbase 102 cm Dry Weight 37 kg



14/22 Mill Lane , Woodford Green, Essex IG8 OUG Telephone 081 506 1166, Facsimile 081 506 1167

02/11/93

## PRICE LIST.

BUSTER	£	799.00
COYOTE		899.00
PURSANG		849.00
TIFFANY/CLASS V.I.P.		749.00
SCOOP	1,	599.00
SCOOP (TRICK)	1,	935.00
PACK 3		995.00

PRICES INCLUDE:-

6 MONTHS WARRANTY 1 YEAR ROAD FUND LICENCE (IF APPLICABLE) NUMBER PLATES (IF APPLICABLE)