

Lambretta

**luna
vega
cometa**





TECHNICAL SPECIFICATIONS:


Cubic capacity
Maximum power
Consumption (per gallon)
Weight
Gear ratios

Tyres
Lubrication

LUNA

50
2.5 b.h.p.
180
144 lbs.
1st - 27.53:1
2nd - 15.10:1
3rd - 9.83:1

3 x 10
through petrol
mixture at 2 % of oil



VEGA

75
5.5 b.h.p.
130
146 lbs.
1st - 19.27:1
2nd - 12.52:1
3rd - 9.29:1
4th - 6.90:1
3 x 10
through petrol
mixture at 2 % of oil

COMETA

75
5.5 b.h.p.
130
146 lbs.
1st - 19.27:1
2nd - 12.52:1
3rd - 9.29:1
4th - 6.90:1
3 x 10
through Lubematic
oil injection system

Common dimensions: 65 1/2"; width and handlebars 26" height 42 1/2" seat height 31 1/2"; wheelbase 47 1/2.


LAMBRETTA CONCESSIONAIRES LTD. Lambretta House, Purley Way, Croydon, Surrey.

INNOCENTI

SOC. GENERALE PER L'INDUSTRIA METALLURGICA E MECCANICA

MILANO ROMA NEW YORK PARIS LONDON CARACAS DÜSSELDORF

IceniCAM Information Service



www.icenicam.org.uk